SOP Log Sheet

ID# <u>500 150</u>
Region: NCR
State: OH City: Wonstel
Location: NC Field Ohio State Univ
FRD/LRD: Doug Doohan Submitter
Effective Date: 3/3/17
Effective Date: 3 3 7 Description of Material (s): 20 7 Sofo
Reviewed By: Diane De Araelo 4/3/17
Receive Date: 33117 Date to Archivist: 4417
File Format: E-mail CD Hard Copy
Electronic copy ok to use: (y) or No (Circle one) If no, indicated below, what needs to be done

. 1. 1 ¬
Date from Reviewer:
Date Posted: 4 5 17 Archive Date: 4 5 17 Archive Location: Active File Rm. Cabenot 7 Onwer 1
A
Sign:
Comment:

S: Facility Files-SOP Cover Sheet

9/13/16 JT

STANDARD OPERATING PROCEDURES

IR-4 Pesticide Residue Trials Fruit and Vegetable Crops

Revision: 1.0

OARDC Weed Lab **Department of Horticulture and Crop Science The Ohio State University Ohio Agricultural Research and Development Center** Wooster, Ohio, 44691

Douglas Doohan

Field Research Director

Satoru Miyazaki

Regional Field Coordinator

MICHIGAN STATE

UNIVER

TO:

Dr. Douglas Doohan

Department of Horticulture and Crop Science, OARDC Weed Lab

The Ohio State University

Wooster, OH

FROM:

Satoru Miyazaki, IR-4 Regional Field Coordinator Satur Muyerak:

SUBJECT:

STANDARD OPERATING PROCEDURE (1.0) APPROVAL

DATE:

March 31, 2017 (Effective Date)

Per 40CRF160 Good Laboratory Practice Standards (GLP), this is to notify you that your Standard Operating Procedure (SOP) in use is approved. Please retain this document with your SOP to fulfill GLP requirements.

SOP	REV #	REVISED DATE		SOP	REV #	REVISED DATE		SOP	REV #	REVISED DATE
230. 6		7.3242			t seed a			MAL.		1
1.1	1.0	10-25-16		6.2	1.0	10-25-16		9.7	1.0	10-25-16
1.2	1.0	10-25-16		6.3	1.0	10-25-16		9.8	1.0	10-25-16
1.3	1.0	10-25-16		6.4	1.0	10-25-16		9.9	1.0	10-25-16
1.4	1.0	10-25-16		6.5	1.0	10-25-16		10.1	1.0	10-25-16
1.5	1.0	10-25-16		6.6	1.0	10-25-16		10.2	1.0	10-25-16
2.1	1.0	10-25-16		7.1	1.0	10-25-16		10.3	1.0	10-25-16
2.2	1.0	10-25-16		7.2	1.0	10-25-16		10.4	1.0	10-25-16
2.3	1.0	10-25-16		7.3	1.0	10-25-16		10.5	1.0	10-25-16
2.4	1.0	10-25-16		7.4	1.0	10-25-16		10.6	1.0	10-25-16
2.5	1.0	10-25-16		7.5 -	1.0	10-25-16		11.1	1.0	10-25-16
2.6	1.0	10-25-16		7.6	1.0	10-25-16	*	11.2	1.0	10-25-16
3.1	1.0	10-25-16		7.7	1.0	10-25-16		11.3	1.0	10-25-16
3.2	.1.0	10-25-16		7.8	1.0	10-25-16		12.1	1.0	10-25-16
. 3.3	1.0	10-25-16		7.9	1.0	10-25-16		12.2	1.0	10-25-16
4.1	1.0	10-25-16		8.1	1.0	10-25-16		13.1	1.0	10-25-16
4.2	1.0	10-25-16	7	9.1	. 1.0	10-25-16		14.1	1.0	10-25-16
5.1	1.0	10-25-16		9.2	1.0	10-25-16		14.2	1.0	10-25-16
5.2	1.0	10-25-16		9.3	1.0	10-25-16		14.3	1.0	10-25-16
5.3	1.0	10-25-16		9.4	1.0	10-25-16				
5.4	1.0	10-25-16		9.5	1.0	10-25-16				
6.1	1.0	10-25-16		9.6	1.0	10-25-16	4			

5

IR-4 NORTH CENTRAL REGION RESEARCH CENTER

Michigan State University 3900 Collins Road, Suite 1031B Lansing, MI 48910-8396 517.337.3181 Fax: 517.432.2098

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP APP	ROVAL LOG	0	
Submitted by	Field Research Direct	etor: 1 Joul	Date: 3.13.2017
Approved by	Regional Field Coord	linator: Saton Mylly	Pale: 3/30/17
	review and appro the current year	oval of Standard Operat	ing Procedures not
	Signature of Field Re	search Director	(Date)
	Signature of IR - 4 F	Regional Field Coordinator	(Date)
B: Approva		the current year of Star	ndard Operating
Date Submitted	SOP number(s) revised	Signature of Field Research Director	Signature of IR-4 Regional Field Coordinator

		· · · · · · · · · · · · · · · · · · ·	

IND	INDEX OF STANDARD OPERATING PROCEDURES						
Submitted by Field Research Director: 1 / Doll Date: 3.13:2017							
Appr	Approved by Regional Field Coordinator: Saton Mulindi Date: 3/30/17						
No.	TITLE	Revision # & Date	Date last revised				
1.1	General requirements for Standard Operating Procedures	1.0 (10/25/16)	New SOP				
1.2	Annual review and revision	1.0 (10/25/16)	New SOP				
1.3	Definitions for the SOP	1.0 (10/25/16)	New SOP				
1.4	Numbering system for SOPs	1.0 (10/25/16)	New SOP				
1.5	Format for SOPs	1.0 (10/25/16)	New SOP				
2.1	Personnel	1.0 (10/25/16)	New SOP				
2.2	Study Director	1.0 (10/25/16)	New SOP				
2.3	Field Research Director	1.0 (10/25/16)	New SOP				
2.4	Other Personnel	1.0 (10/25/16)	New SOP				
2.5	Organizational Chart	1.0 (10/25/16)	New SOP				
2.6	Documentation of training	1.0 (10/25/16)	New SOP				
3.1	Study protocol and experimental design	1.0 (10/25/16)	New SOP				
3.2	Deviations from protocol	1.0 (10/25/16)	New SOP				
3.3	Experimental design	1.0 (10/25/16)	New SOP				
4.1	Site selection, plot establishment and use of GPS unit	1.0 (10/25/16)	New SOP				
4.2	Soil sampling and characterization	1.0 (10/25/16)	New SOP				
5.1	Agronomic practices for field experiments	1.0 (10/25/16)	New SOP				
5.2	Greenhouse, shadehouse and testing facilities	1.0 (10/25/16)	New SOP				
5.3	Seeding and transplanting	1.0 (10/25/16)	New SOP				
5.4	Crop maintenance	1.0 (10/25/16)	New SOP				
6.1	Application equipment calibration, maintenance, and use	1.0 (10/25/16)	New SOP				
6.2 6.3	Calibration of hand-carried CO ₂ -pressurized boom sprayer	1.0 (10/25/16)	New SOP New SOP				
6.4	Calibration and use of tractor-mounted CO₂-pressurized boom sprayer Calibration and use of a granular applicator	1.0 (10/25/16) 1.0 (10/25/16)	New SOP				
6.5	Cleanup of application equipment	1.0 (10/25/16)	New SOP				
6.6	Remedial action in case of equipment failure	1.0 (10/25/16)	New SOP				
7.1	Test substance storage, handling, and records	1.0 (10/25/16)	New SOP				
7.2	Test substance request, receipt, use, and disposal	1.0 (10/25/16)	New SOP				
7.3	Test substance storage	1.0 (10/25/16)	New SOP				
7.4	Adjuvant storage and maintenance	1.0 (10/25/16)	New SOP				
7.5	Calculating and measuring liquid pesticides	1.0 (10/25/16)	New SOP				
7.6	Calculating and measuring dry pesticides	1.0 (10/25/16)	New SOP				
7.7	Calibration of an electronic balance for dry pesticide measurement	1.0 (10/25/16)	New SOP				
7.8	Application of pesticides in the field	1.0 (10/25/16)	New SOP				
7.9	Procedures for problems during application of test chemicals	1.0 (10/25/16)	New SOP				
8.1	Safe handling of pesticides and use of safety equipment	1.0 (10/25/16)	New SOP				
9.1	Collection of pesticide data, weather data, and other information	1.0 (10/25/16)	New SOP				
9.2	Recording, handling and storage of raw data	1.0 (10/25/16)	New SOP				
9.3	Significant Figures and Rounding Numbers	1.0 (10/25/16)	New SOP				
9.4	Collecting efficacy and phytotoxicity data	1.0 (10/25/16)	New SOP				
9.5	Determining yield and quality	1.0 (10/25/16)	New SOP				
9.6	Collection and recording of data from monitoring devices	1.0 (10/25/16)	New SOP				
9.7	Maintenance of monitoring, data generating devices and GPS unit	1.0 (10/25/16)	New SOP				
9.8	Data archiving and retention	1.0 (10/25/16)	New SOP				
9.9	Equipment not requiring SOPs	1.0 (10/25/16)	New SOP				
10.1	Residue sample collection, storage, and shipping	1.0 (10/25/16)	New SOP				
10.2	Collecting residue samples	1.0 (10/25/16)	New SOP				
10.3	Sample containers and identification	1.0 (10/25/16)	New SOP				
10.4 10.5	Sample packing and storage	1.0 (10/25/16)	New SOP New SOP				
10.5	Maintaining freezer storage systems Sample shipping procedures	1.0 (10/25/16) 1.0 (10/25/16)	New SOP				
11.1	Trial reports	1.0 (10/25/16)	New SOP				
11.2	Completion of IR-4 Field Data Book	1.0 (10/25/16)	New SOP				
11.4	Completion of IX-4 Field Data Book	1.0 (10/25/10)	I WEW OOF				

Subn	Submitted by Field Research Director: () / Dole Date: 3. 13. 201.						
Appro	oved by Regional Field Coordinator: Sator Myyand	Date: 3	30/17				
No.	TITLE	Revision # & Date	Date last revised				
11.3	Disposition of IR-4 Field Data Books and other documentation	1.0 (10/25/16)	New SOP				
12.1	Archive and record storage	1.0 (10/25/16)	New SOP				
12.2	Retention times for documents in archives	1.0 (10/25/16)	New SOP				
13.1	Quality Assurance	1.0 (10/25/16)	New SOP				
14.1	Procedures to follow prior to EPA inspection	1.0 (10/25/16)	New SOP				
14.2	Procedures to follow during an EPA inspection	1.0 (10/25/16)	New SOP				
14.3	Procedures to follow after the EPA inspection	1.0 (10/25/16)	New SOP				

SOP1.1				
Submitted by Field Research Director: (1) / Oul Date: 3,13,70				
Approved by F	Regional Field Coordinator: 5 de multiple: Date: 3/30/17			
TITLE:	General Requirements for Standard Operating Procedures (SOPs)			
PURPOSE:	To provide guidance in development and use of SOPs for field research studies.			
SCOPE:	Field pesticide residue studies in the Department of Horticulture and Crop Science at OSU / OARDC.			

- 1. The IR-4 Field Research Director (FRD) will develop standard operating procedures (SOPs) for all phases of the research conducted in support of pesticide registration. Adherence to the SOPs will assure compliance with EPA requirements and Good Laboratory Practices (GLP)
- 2. The individual SOPs together with a directory and SOP Approval Log will constitute the SOP for IR-4 pesticide residue studies at the Department of Horticulture and Crop Science at the Ohio State University/OARDC.
- 3. The SOP will be reviewed annually and revised as needed. The revisions and their effective dates will be recorded on the SOP approval log, which will be maintained as part of the SOP. The Field Research Director will retain all earlier versions of the SOP.
- 4. Each individual SOP will be approved, initiated, and dated by the Field Research Director and Regional Field Coordinator (RFC).
- 5. Any deviations from the SOP that would affect the results of a study must be documented in writing and signed by the Study Director.
- 6. The FRD is responsible for annually distributing the current version of the SOP to the RFC. Other study personnel will receive copies of the SOP upon request.

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 1.2

Submitted by Field Research Director:

Date: 3 /3 28/7

Date:

Approved by Regional Field Coordinator:

13 6017

TITLE:

Annual Review and Revision

PURPOSE:

Record Annual Review and Revisions

SCOPE:

All SOPs

- 1. The Standard Operating Procedures for pesticide residue trials on food/feed crops will be reviewed annually by the Field Research Director and revised as needed. The date of the revision and the number(s) of the SOP will be recorded on the SOP Approval Log.
- 2. Major revisions on the SOP will be designated by whole numbers.
- 3. Revisions of individual SOPs will be designated by decimal numbers.
- 4. When many individual SOPs have been revised, a major revision of the SOP will be instituted and designated as the succeeding whole number.

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 1.3

Submitted by Field Research Director:

Approved by Regional Field Coordinator:

TITLE:

Definitions for the SOP

PURPOSE:

To define the terms used in this SOP

SCOPE:

All SOPs developed by FRD

PROCEDURES:

- In all SOPs developed under The SOP, the following terms will have the meanings specified.
 - a.) <u>Batch</u> a specific quantity or lot of a test substance that has been adequately characterized.
 - b.) Experimental Start Date the first date the test substance is applied to the test system (crop).
 - c.) Experimental Termination Date the last date on which data is collected from a study.
 - d.) Good Laboratory Practices (GLP) a set of guidelines mandated by Congress to which researchers must adhere to ensure the integrity of the research data.
 - e.) <u>Master Timetable</u> a list of trials, which is maintained by the Field Research Director. It must be indexed by test chemicals and crop, and contain type of trial, approximate experimental start dates, and termination dates.
 - f.) Master Schedule a list, maintained by the Quality Assurance Unit, of all studies conducted at the test facility indexed by test substance, and containing the test system, nature of study, date study was initiated, current status of each study, identity of the sponsor, and name of the study director.
 - g.) <u>Protocol</u> a specific document, provided by the sponsor that contains details for accurate completion of a trial.
 - h.) Quality Assurance Unit (QAU) any person or organizational element except the Study Director or Field Research Director, who is designated to perform the monitoring duties to assure that the research is conducted according to Standard Operating Procedures and GLP. Regional IR-4 representatives will designate the Quality Assurance Officer (QAO) for IR-4 trials.
 - i.) Raw Data worksheets, records, memoranda, notes, etc., that are results of original observations and activities of a study. Includes photographs and computer printouts.
 - j.) Research the collection of information about a particular subject.
 - k.) <u>Sponsor</u> the individual, corporation, association, academic or scientific establishment, government agency or other organizational unit who initiates and supports, by provision of financial or other resources, a study.
 - 1.) <u>Standard Operating Procedure</u> (SOP) written documentation of routine activities and procedures utilized in research studies.
 - m.) <u>Trial</u> an experiment in which a test substance (pesticide) is applied under field conditions to determine or help predict its effects, metabolism, environmental and chemical fate, or other characteristics.
 - n.) Frequently Used Acronyms -

The Ohio State University (OSU)

Ohio Agriculture Research and Development Center (OARDC)

Department of Horticulture and Crop Science (HCS)

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 1.4	4 0	
Submitted by F	ield Research Director: // / / OUL	Date: 3 /3 20/7
Approved by Ro	egional Field Coordinator: Salve Millarki	Date: 3/30/17
TITLE:	Numbering Systems for SOPs	
PURPOSE:	To provide a general outline for SOPs via numbering s	ystem
SCOPE:	SOPs developed by Field Research Director	

- 1. SOPs will be organized using these major headings:
 - 1. General rules and requirements for Standard Operating Procedures
 - 2. Personnel
 - 3. Study Protocol and Experimental Design
 - 4. Site selection and plot establishment
 - 5. Agronomic practices for field experiments
 - 6. Application equipment and calibration, maintenance, and use
 - 7. Test chemical receipt, storage, handling, and disposal
 - 8. Safe handling of pesticides and use of safety equipment
 - 9. Collection of pesticide data, weather data, and other information
 - 10. Residue sample collection, storage, and shipping
 - 11. Trial reports
 - 12. Archives and record storage
 - 13. Quality Assurance
 - 14. EPA inspection

SOP 1.5	Λ ο
Submitted by I	Field Research Director: Date: 3 13 201
Approved by F	Regional Field Coordinator: Salven Mujaki Date: 3/30/17
TITLE:	Format for SOPs
PURPOSE:	To assure a uniform format in development of SOPs
SCOPE:	All SOPs developed by Field Research Director for use in the conduct of field research trials.

The following is the format to be used for each standard operating procedure:

OARDC Weed Lab Department of Horticulture and Crop Science The Ohio State University Wooster, Ohio 44691

Effective Date: Revision Number:

SOP# (Ca	tegory number followed by SOP number	er in numerical order)
Submitted by	Field Research Director;	Date:
Approved by F	Regional Field Coordinator:	Date:
TITLE:	(SOP title)	
PURPOSE: (Brief description of the purpose of the SOP)		
SCOPE:	(Determines where and when the SOP is application	able)

PROCEDURES: (Describes the operating procedures done from beginning to end so that regulatory personnel can understand what is being done.)

Effective Date: See Approved RFC Date **Revision Number: 1.0**

SOP 2.1

Submitted by Field Research Director:

Approved by Regional Field Coordinator:

Date:

TITLE:

Personnel

PURPOSE:

To describe personnel involved in pesticide registration trials and their

responsibilities under GLP

SCOPE:

All personnel directly involved in the trials

- Each individual engaged in the conduct of or responsible for the supervision of a trial 1. shall have education, training, and experience to enable that person to perform the assigned tasks.
- 2. Personnel involved in pesticide registration research will be designated as Study Director, Field Research Director, or other personnel.

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 2.2

Submitted by Field Research Director:

Date: 3.13 2017

Approved by Regional Field Coordinator:

Date:

TITLE:

Study Director

PURPOSE:

To describe the responsibilities of the Study Director

SCOPE:

All IR-4 research studies

PROCEDURES:

1. The Study Director for each IR-4 study will be appointed by the IR-4 headquarters. The Study Director has overall responsibility for the technical conduct of the study, as well as for the interpretation, analysis, documentation, and reporting of results and represents the single point of study control.

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 2.3				
Submitted by Field Research Director: Date: 3 /3 2017				
Approved by F	Regional Field Coordinator: Satter Mulase: Date: 3/30/17			
TITLE:	Field Research Director			
PURPOSE:	To describe responsibilities of the Field Research Director			
SCOPE:	All IR-4 field research trials			

- 1. The Regional Field Coordinator will designate a Field Research Director for each trial. The Field Research Director has immediate and personal responsibility for conduct of a trial, including supervision of all other personnel involved in the trial.
- 2. The Field Research Director will:
 - a. Assure that the trial is carried out according to protocol and good laboratory practices.
 - b. Assure that personnel, resources, facilities, equipment, materials, and methods are available as scheduled for the conduct of the trial.
 - c. Assure that all personnel conducting the trial understand the protocol and SOPs for the trial.
 - d. Maintain a Master Timetable for all IR-4 field research under his control.
 - e. Submit a copy of the Master Timetable to the QAO in a timely manner upon receiving all trial assignments.
 - f. Approve all completed report forms and assure to transfer all raw data to the RFC upon completion.
- 3. With review and approval from the FRD, GLP coordinator will:
 - a. Report deviations from protocol or SOPs to Study Director.
 - b. Respond to all deviations reported by the Quality Assurance Unit
 - c. Develop responses to QA Audits and field live inspections

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 2.4	_
Submitted by	Field Research Director: Date: 3.13.201
Approved by F	Regional Field Coordinator: Satur Wyarder Date: 3/30/17
TITLE:	Other Personnel
PURPOSE:	To provide information concerning requirements under GLP for other personnel involved in the trials
SCOPE:	All IR-4 field research trials

- 1. The Field Research Director will have on file a current summary of training and experience and a job description for all personnel actively engaged in the conduct of a trial.
- 2. Temporary field workers involved in critical phases of a trial but NOT entering data in the Field Data Book (FDB) do not require a CV or training record. However, a separate page should be included on the FDB that provides their names, describes the impromptu training that was given and identifies the actions performed in the trial.

SOP 2.5

Submitted by Field Research Director:

Approved by Regional Field Coordinator:

TITLE:

Organizational Chart

PURPOSE:

To describe requirements for an organizational chart

SCOPE:

All IR-4 field research trials

- 1. An organizational chart which reflects management of the facility and the reporting lines of the personnel engaged in IR-4 will be developed and kept on file by the Field Research Director.
- 2. Each entry in the chart should show the name of the person filling that position.
- 3. The chart must show how the Field Research Director reports to the Study Director and the National Director, the relationship between the QAU and the other parts of the organization.

SOP 2.6	
Submitted by I	Field Research Director: A / Doal Date: 3 13 2013
Approved by F	Regional Field Coordinator: Satien Mujusah: Date: 3/30/17
TITLE:	Documentation of Training
PURPOSE:	To assure that training for personnel for IR-4 trials is properly documented.
SCOPE:	All personnel actively involved in IR-4

- 1. All formal education beyond secondary school should be included in each person's vita.
- 2. Relevant training received at workshops, conferences, etc. should be recorded. A copy of training certificates issued should be retained in personnel files.
- 3. The Field Research Director will document any other training provided for personnel involved in the trials.

SOP 3.1

Submitted by Field Research Director:

Approved by Regional Field Coordinator:

Satura Wayner:

Date: 3 / 3 Zo/7

Approved by Regional Field Coordinator:

Study Protocols and Experimental Design

PURPOSE:

To describe the normal methodology for obtaining a study protocol and planning an IR-4 field research trial

SCOPE:

All pesticide registration trials

- 1. The sponsor will provide the Study Director with a protocol to follow in doing a trial. The Study Director will provide a copy of the protocol to the Field Research Director.
- 2. The protocol is an official document and must be followed completely to assure that the data generated will be useful in the registration process.
- 3. The Field Research Director is responsible for meeting all requirements of the protocol.
- 4. The Study Director will sign the coversheet, indicating that he agrees with the protocol, and then send it to the Field Research Director.
- 5. The Field Research Director or GLP coordinator will prepare a Master Timetable including all major functions of all trials to be conducted at his location in a given year. The Field Research Director or GLP coordinator will submit the Master Timetable to the Study Director, the Quality Assurance Officer and the Regional Field Coordinator as early as possible. The Field Research Director will maintain a file of annual Master Timetables.

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 3.2	
Submitted by I	Field Research Director: Al Double Date: 3 13 2017
Approved by F	Regional Field Coordinator: Sator Mulmale: Date: 3/30/17
TITLE:	Deviations from Protocol
PURPOSE:	To provide methodology for dealing with unforeseen changes in protocols or field conditions that preclude complete compliance with the protocol
SCOPE:	Changes or deviations initiated by Sponsor, Study Director, or Field Research Director

- 1. For changes in protocol initiated by the Sponsor or Study Director, the Study Director will send a copy of the protocol change form listing specific changes in the protocol to the Field Research Director. The protocol change form should be sent to the Field Research Director before the experimental start date when practical. A copy of the protocol change form will be attached to the protocol and a copy will be filed with the trial report.
- 2. For changes in protocol initiated by the Field Research Director, the Field Research Director or GLP Coordinator will prepare a study deviation form and submit it to the Study Director and notify the Study Director by emails or phone as soon as possible. The Study Director will determine appropriate action for deviations. Minor deviations that do not significantly change the results of a trial may be accepted

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 3.3

Submitted by Field Research Director:

Date: 3 13 2017

Approved by Regional Field Coordinator:

Date: 3/20/17

TITLE:

Experimental Design

PURPOSE:

To assure that all efficacy, yield, and phytotoxicity data is statistically sound

SCOPE:

All IR-4 field research trials to support pesticide registration

- 1. The experimental design as specified by the protocol should be used. Residue trials are normally not randomized. The experimental design used should be documented in the Field Data Book.
- 2. IR-4 does not usually require the Field Research Director to analyze data.
- 3. Draw a plot map showing the location of each plot. Retain the plot map in the Field Data Book.

Effective Date: See Approved RFC Date
Revision Number: 1.0

SOP 4.1		
Submitted by Field Research Director: (1) Date: 3 13 70 /		
Approved by Re	Approved by Regional Field Coordinator: Saton Mujershi: Date: 3/30/17	
TITLE:	Site Selections, Plot Establishment and Use of Global Positioning System (GPS)	
PURPOSE:	To assure that plots will provide the required data and samples with sufficient uniformity to meet EPA requirements	
SCOPE:	All IR-4 field research trials to support pesticide registration	

- 1. Sites will be selected that are representative of normal production areas for the commodity.
- 2. Sites will be large enough to accommodate the number of treatments, required buffer zones, and the sample size required by the protocol.
- 3. Where possible, establish site so that treated plants are downwind of untreated plants or down slope from untreated pots
- 4. Locate the site with sufficient isolation to minimize contamination from external sources such as commercial operations or other research studies.
- 5. Obtain a soil test for the site as per SOP 4.2
- 6. If the trial is to be conducted on perennial fruit crops on a commercial farm, select a reliable grower with planting in good health, managed by accepted agricultural practices with a previous pesticide history that meets protocol requirements.
- 7. If site is on commercial farms, arrangements should be made with the grower for crop destruction and remuneration if a non-registered pesticide is used on their crop.
- 8. If the commodity is already established, select the site that has a uniform stand.
- 9. Prepare a plot map showing the location of each plot on the site, the North azimuth and any significant slope. The plot map should contain permanent reference points so that the plots can be relocated after the trial is terminated. Alternatively, the site may be identified by permanent reference points determined by hand held GPS.
- 10. Place a stake at the first plot identifying the trial number. Assign each treatment and subplot a number. Number stakes with sufficient information to identify the replicate and treatment assigned to each plot.
- 11. Identify both ends of each plot with a marker of sufficient visibility to be easily seen throughout the duration of the trial.

SOP 4.2

Submitted by Field Research Director:

Approved by Regional Field Coordinator:

TITLE:

Soil Sampling and Characterization

PURPOSE:

All IR-4 fields trials

- 1. If the site has had a soil test within the last 5 years, use the results of that test for soil characterization information.
- 2. If no current soil test is available, take a soil sample during the experimental period using the following methods:
 - a. Using a clean soil probe and clean bucket or plastic bag, take 10-20 random soil samples at a 6-8 inches depth in the field and place samples in clean bucket or plastic bag.
 - b. Once all samples are taken, mix the soil thoroughly in bucket or plastic bag. Fill a soil container with soil from the bucket or plastic bag. Label the container with an identification number and send it to OARDC STAR Lab or Spectrum Analytic Inc (1087 Jamison Rd NW, Washington Court House, OH 43160) for analysis.
- 3. To determine soil type and series for the site, look up the field location in the appropriate county soil survey report.

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 5.1		
Submitted by	Field Research Director: W/ Coul Date: 3 / 3 20	
Approved by F	Regional Field Coordinator: Satien Mighali Date: 3/30/19	<u> </u>
TITLE:	Agronomic Practices for Field Experiments	
PURPOSE:	To assure that crops grown for pesticide trials are produced following good agronomic practices.	
SCOPE:	All IR-4 pesticide trials to support registration	

- 1. Determine good agricultural practices for the commodity to be grown.
- 2. Perform and record all cultural practices carried out before and after planting. Fertilize as needed to produce the crop.
- 3. Apply pesticides that will not interfere with the outcome of the trial, as needed, to grow the crop. Record all pesticides applied in the Field Data Notebook.

SOP 5.2	
Submitted by Field Research Director: () () On Date: 3 /3 20/3	
Approved by Regional Field Coordinator: Saturn William Date: 3/30/17	
TITLE:	Greenhouse, Shadehouse, and Testing Facilities
PURPOSE:	To Assure that greenhouse and shadehouse facilities are adequate for growing transplants for IR-4 field trials
SCOPE:	All IR-4 field trials in which greenhouse and shadehouse facilities are used for growing transplants

- 1. Each greenhouse or shadehouse must be sufficiently large enough to contain the plants for a trial. All flats will be labeled for identification and action dates. Appropriate observations will be entered in the Field Data Notebooks.
- 2. Plants should be grown under good agricultural procedures to provide acceptable plants for the trials. Plants exhibiting disease or pest problems will be removed from the open greenhouse area and examined to determine the cause of the problem.
- 3. Apply labeled pesticides as needed to prevent losses due to pests/disease. Do not apply pesticides that may interfere with the chemical analysis of the pesticide under study. If in doubt call the Study Director.
- 4. Provide all records of pesticide applications including product, active ingredient, and rate.

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 5.3		
Submitted by Field Research Director: Date: 3 / 3 70/7		
Approved by Regional Field Coordinator: Jatur Mullingh: Date: 3/30/19		
TITLE:	Seeding and Transplanting	
PURPOSE:	To assure that commodities are established following good agricultural practices.	
SCOPE:	All IR-4 trials	

- 1. Follow good agricultural practices for the crop.
- 2. Select a suitable cultivar for the trial. Note cultivar and source in Field Data Notebook. If the information is available, also note the date that seed or transplants were received, and lot number.
- 3. Seed or transplant to establish the crop according to accepted agricultural practices.

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 5.4		
Submitted by	Field Research Director: Dat	ie: 3 132017
Approved by F	Regional Field Coordinator: Satur Mulandei Dat	te:3/30/17
TITLE:	Crop Maintenance	
PURPOSE:	To assure that commodities are grown under good agricultural practices to provide a uniform crop for observation and harvest.	
SCOPE:	All IR-4 field trials	

PROCEDURES:

1. The Field Research Director or GLP coordinator will assure to;

a. Maintain the crop as well as possible throughout the duration of the trial

b. Approve the application of labeled pesticides as needed to prevent losses due to pests/disease and will not apply pesticides that may interfere with the chemical analysis of the pesticide under study. If in doubt call the Study Director.

c. Provide all records of pesticide applications including product, active ingredient, and rate.

d. Compile all irrigation and rainfall records.

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 6.1		
Submitted by	Field Research Director:	Date: 3 , 3 2017
Approved by F	Regional Field Coordinator: Sate Mulling	Date: 3/39/17
TITLE:	Application Equipment Calibration, Maintenance, and Us	se.
PURPOSE:	To describe the calibration, maintenance, and use of pesticide application equipment used in experiments in IR-4 research trials.	
SCOPE:	All application equipment used in experiments to support pesticide registration.	

- 1. All application equipment used for conducting GLP studies should be inspected, cleaned, and maintained prior to the beginning of the field season. The written records from this maintenance and inspection will be recorded on the Equipment Maintenance and Calibration form. Pre-season equipment maintenance is described as inspecting all lines, hoses and connections, removing and cleaning all nozzles and screens and performing initial calibration.
- 2. Written records noted on the Pesticide Application Equipment Maintenance and Calibration form will designate activities as routine or non-routine.
- 3. In the case of equipment failure, malfunction or damage, the remedial action plan will be followed and alternate equipment will be obtained to complete trial requirements. A written description of the equipment failure or malfunction will be written on the Equipment Maintenance and Calibration form.
- 4. Application equipment will be cleaned after each use to ensure integrity of succeeding applications.

SOP6.2	1
Submitted by	Field Research Director: (/ Work. Date: 3 / 3 20/7
Approved by F	Regional Field Coordinator: Satte Mulay Date: 3/30/17
TITLE:	Calibration of Hand-carried CO ₂ -pressurized Boom Sprayers
PURPOSE:	To set the delivery rate of the sprayer to ensure accurate application of the pesticide.
SCOPE:	All IR-4 sponsored trials where a hand carried CO ₂ pressurized sprayer is used in application of pesticides.

- 1. Sprayers should be calibrated daily before use, or as required by trial protocols and results recorded in the appropriate Field Book Data.
- 2. Visually inspect equipment for obvious wear or potential leaks and repair or replace as necessary.
- 3. Choose the appropriate nozzle tips to deliver the volume, pressure, and spray pattern required.
- 4. Pressurize the spray tanks with sufficient CO₂ to maintain the desired pressure throughout the application. Set up the pressure regulator on the CO₂ tank to deliver the desired volume and pressure at the nozzle.
- 5. To determine whether all nozzles are discharging uniformly, place each nozzle in a graduated cylinder and open the trigger valve for a given length of time. Replace nozzle tips that vary more than 5% from the average. Repeat the above procedure until all nozzles are discharging relatively uniformly.
- 6. When spraying with a single nozzle boom, use even spray nozzles and measure the desired bandwidth before spraying the treatment plot.
- 7. When spraying with a multiple nozzle boom, hold boom at desired height over target to obtain an approximate 30% overlap on each side of the nozzle.
- 8. Calibrate the boom as follows:
 - a. Calibration calculations are based on information provided in the Spraying Systems Co. Catalog. All fluid delivery calculations are based on the assumption that any XX02 nozzle delivers .2000 gallons of water in a minute at 40 psi, any XX04 nozzle delivers .4000 gallons of water in a minute at 40 psi. To extrapolate to 30 psi, the following formula is used:

$$\frac{GPM\ 1}{GPM\ 2} = \frac{\sqrt{PSI\ 1}}{\sqrt{PSI\ 2}}$$

SOP 6.2

Submitted by Field Research Director:

Date: 3/3 2017

Approved by Regional Field Coordinator:

Date: 3/30/17

- b. To calibrate the boom and CO₂ pressure regulator, the tank is filled with water and pressurized. The nozzles are placed into graduated cylinders and the trigger valve is open for 15 to 30 seconds. 8002 and 11002 nozzles should deliver 378.5 ml in 30 seconds at 40 psi. 8004 nozzles should deliver 757.1 ml in 30 seconds at 40 psi. If delivered volume is not correct, the CO₂ regulator is adjusted and the process repeated until the delivery is within 3% of the desired amount. The pressure readings on the CO₂ regulator and spray boom are recorded for each test. When the correct amount has been delivered three times, the boom is considered calibrated. Calibration results are recorded in the Field Data Book. The first calibration of the season or those calibrations requiring maintenance and/or repair of sprayer equipment will be recorded on Equipment Maintenance and Calibration form.
- 9. Calculate walking speed as follows:
 - a. Walking speed is calibrated by marking out a 100-foot strip and walking it with a full sprayer and timing each trip with a stopwatch until the correct time for 100 feet is achieved. Time for 100 feet is calculated by the following formula:

Time in second for 100
$$ft = \frac{a \times 100 ft}{43,560 ft^2/acre} \times b gpa \times \frac{3785.3 ml/gal}{c ml/sec}$$

a = effective band width in feet for one nozzle on a boom

b = desired volume per acre in gallons

c = flow rate of one nozzle in ml/sec at desired pressure

b. Speed in miles per hour is calculated as follows:

Speed in miles per hour =
$$\frac{100 \text{ ft}}{x \text{ sec}} \div 5280 \text{ ft/mile} \times 3600 \text{ sec/hr}$$

x = time in second for 100 ft

SOP 6.3		
Submitted by F	Submitted by Field Research Director: 11 / Qull Date: 3 13 20/7	
Approved by Regional Field Coordinator: Sutten Milmaki Date: 3/30/17		
TITLE:	Calibration and Use of Tractor-mounted CO ₂ -pressurized Boom Sprayers	
PURPOSE:	To set the delivery rate of the sprayer to ensure accurate application of the pesticide.	
SCOPE:	All IR-4 trials where a tractor-mounted CO ₂ -pressurized sprayer is used for pesticide applications.	

- 1. Visually inspect equipment for obvious wear or potential leaks and repair or replace as necessary.
- 2. Choose the appropriate nozzle tips to deliver the volume, pressure, and spray pattern required.
- 3. Pressurize the spray tank with sufficient CO₂ to maintain the desired pressure throughout the application. Set the pressure regulator on the CO₂ tank to deliver the desired volume and pressure at the nozzle.
- 4. To determine whether all nozzles are discharging uniformly, place a container under each nozzle to catch the output. Open the valves for a given length of time and measure the output. Do this at least three times. Replace nozzle tips that vary more than 5% from the average. Repeat the above procedure until all nozzles are discharging relatively uniformly.
- 5. Adjust boom height over target to obtain an approximate 30% overlap on each side of each nozzle.
- 6. Calibrate the boom as per SOP 6.2.
- 7. Calibrate the tractor ground speed using the formula from SOP 6.2 section 9, using a 100-foot strip.
- 8. Check the speed of the tractor by operating the tractor over a measured distance of 100 feet at the calculated speed and record the time it takes to travel the distance. Calculate the actual miles per hour from the following formula:

Speed in miles per hour =
$$\frac{y ft}{x sec}$$
 ÷ 5280 ft/mile × 3600 sec/hr

x = time in second traveled

y = feet traveled

Record transmission gear and range and engine RPM at which the desired ground speed is obtained. Use these settings for future calibration.

9. Record the time required to travel the length of the plot in the Field Data Book.

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 6.4		i
Submitted by	Submitted by Field Research Director: Date: 3/370/	
Approved by F	Regional Field Coordinator: Sation Williams Date: 3/30/19	7
TITLE:	Calibration and Use of Granular Applicator	,
PURPOSE:	To set the delivery rate of the granular applicator of the pesticides	
SCOPE:	All IR-4 sponsored trials where a granular applicator is used in the application of pesticides in field research	חי

PROCEDURES:

- 1. Inspect the spreader to determine if it is clean and in good mechanical condition.
- 2. Fill the spreader at least half full of the materials to be applied. Attach a pan under the spreader to catch the material as it is released.
- 3. Measure an area of .01 acre or 435.6 square feet.
- 4. Determine the approximate setting of the openings and the approximate speed to walk for the desired amount of product per acre.
- 5. Operate the applicator over the measured distance and collect the output in the pan attached to the spreader.
- 6. Weigh the material from the pan and multiply by 100 to give the amount applied per acre.
- 7. Continue with step 4 through 6 until desired rate is achieved within 5% of the desired amount per acre.
- 8. Example: You want to apply 10 lbs product per acre. Spreader band width is 10 ft.

Distance to walk =
$$\frac{435.6 ft^2}{10 ft wide}$$
 = 43.5 ft

You should apply 1/100 of the amount per acre in this area, or 0.1 lb (45.4 g)

9. An alternate method of granular application is to weigh out the amount of product needed per plot, and apply it uniformly with shaker.

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 6.5

TITLE:

Submitted by Field Research Director:

Date: 3.13 2017

Approved by Regional Field Coordinator: 4

Date: 3/20/10

Cleanup of Application Equipment

PURPOSE: To ensure that pesticide application equipment is clean to avoid contamination

of succeeding trials.

SCOPE: All IR-4 field research trials

PROCEDURES:

1. Apply any excess pesticide mix or granules to an approved area.

- 2. Rinse tank with clean water. Place approximately 1 tsp. of tank cleaner in rinsed tank. Add approximately 1 liter of water and mix solution by shaking tank. Spray out soapy water through boom. Rinse tank at least 2 more times with water. Fill tank halfway with water and spray out contents through boom.
- 3. Store portable equipment at OARDC pesticide storage facility.

SOP 6.6 Submitted by Field Research Director: Approved by Regional Field Coordinator: TITLE: Remedial Action in Case of Equipment Failure PURPOSE: To ensure that a prescribed course of action is followed in case of equipment failure SCOPE: All IR-4 field research trials

Revision Number: 1.0

PROCEDURES:

Wooster, OH 44691

- Equipment is identified as all instruments, apparatus, and implements used to complete measurement, application and assessment for IR-4 field trials. Equipment includes, but is not limited to sprayers, applicators and nozzles, tanks and pressure regulators, temperature monitoring systems, weather monitoring equipment and meters, handheld GPS units, soil probes and samplers, stop watch, pH strips, freezer, balance used for weighing test substance and sample weights, graduated cylinders, tape measure, and wheel.
- 2. In the case of equipment failure, malfunctions, or damage, equipment will be repaired, alternate equipment will be secured, or service personnel will be contacted to perform nonroutine maintenance to return equipment to working order and complete trial requirements.
- If a trial is not affected or impacted in any way, it does not need to be noted in the Field Data Book. If a residue trial is impacted by equipment failure, it should be noted in the Field Data Books in all affected trials. At a minimum, documentation of the actions should include the nature of the failure, date of first notice, remedial actions taken, and assessment of potential impact on the trial.

Effective Date: See Approved RFC Date Revision Number: 1.0

SOP 7.1

Submitted by Field Research Director:

Date: 3, 11 2017

Approved by Regional Field Coordinator: 4

Date: 2/3- /10

TITLE: Test Subst

Test Substance Storage, Handling, and Records

PURPOSE:

To describe the procedures for handling pesticides and documenting all uses

SCOPE:

All IR-4 research trials

- 1. All personnel involved in handling pesticides should be properly trained in their use and wear appropriate protective equipment as described on the pesticide label.
- 2. All test substance receipt, application and disposal information must be recorded in the respective IR-4 Field Data Book and receipt, transfer, and/or disposal in the facility Pesticide Log Book.
- 3. Test substances and additives will be stored in a manner to ensure their integrity and temperature will be monitored.

SOP 7.2		
Submitted by	Field Research Director: Date: 3 13 201	
Approved by F	Regional Field Coordinator: Sator Mujerk: Date: 3/30/17	
TITLE:	Test Substance Request, Receipt, Use, and Disposal	
PURPOSE:	To ensure that chemicals used in residue tests are properly received, logged, stored, and disposed of upon completion of the trial.	
SCOPE:	All pesticides used in IR-4 field research trials.	

- 1. Upon receiving study protocols for the current year, the Study Director will contact the manufacturers of the required pesticides to obtain characterized samples of the pesticides in sufficient quantity to complete the trial. If the pesticides were not ordered by the Study Director, the Field Research Director or GLP coordinator will contact the manufacturer to obtain characterized samples. Pesticide samples used in residue trials should be obtained in the year in which the trial is to be performed.
- 2. Upon receipt of test chemicals, record the following information from the container label or product documentation in the respective IR-4 Field Data Books; Test Substance Records: date of receipt, name of individual receiving test substance, carrier and tracking number, batch or lot number, expiration date and source, amount received, container description and condition upon arrival, GLP status and storage conditions, such as temperature requirements. Upon completion of the trial a copy of each Test Substance Record will be added to the facility IR-4 Pesticide Log Book.
- 3. Label test substance container with Field ID #, date received, batch or lot number, expiration date, storage requirements and initials. If there is more than one container for a single trial or more than one location using the same test substance, each container should be labeled with a unique number such as 1 of X, 2 of X, etc. An additional label may be attached to the container to document this information.
- 4. If a test substance arrives without an expiration date or evidence of GLP status, contact Study Director immediately.
- 5. Upon use of a pesticide, record in the respective IR-4 Field Data Book the date used, amount used, purpose, and initials of person using the product.
- 6. Upon completion of a trial, extra test pesticide may be disposed of in a legal manner. Record all use or transfer in the IR-4 Field Data Book and/or IR-4 Pesticide Log Book.
- 7. Test chemical containers must be stored until indicated by the Food Request Database Test Substance Container Disposal Approval list from Headquarters found on the IR-4 website. The disposition and/or disposal of containers will be recorded in the facility's IR-4 Pesticide Log Book.

SOP 7.3

Submitted by Field Research Director:

Date: 317, 2017

Approved by Regional Field Coordinator:

Date: 2

26 /10

TITLE:

Test Substance Storage

PURPOSE:

To describe acceptable storage facilities, and procedures for test chemicals.

SCOPE:

Storage facilities for test pesticides used in IR-4 field research trials.

- 1. The chemical storage facility should have limited access and a sign on the door indicating the hazardous nature of the contents.
- All test chemicals should be stored in a locked cabinet in the chemical storage facility.
 Store test containers until a disposal date is indicated on the Food Request Database –
 Test Substance Container Disposal Approval list which is available on the IR-4 website.
 Keep pesticides from freezing. Maintain chemical storage temperatures readings every 30 minutes.
- 3. Monitor room temperature with a primary and back-up data logger/recorder. Recorders will be replaced or serviced before lifetime of batteries is reached. Annual verification of temperatures from recording devices is performed and recorded in a permanent file. Deviation from standard is acceptable within 5%. Data loggers are set to record temperature readings every 30 minutes. Have a spill kit accessible in the pesticide storage facility.

SOP 7.4		
Submitted by I	Field Research Director:	Date: 3 /3 ZOI;
Approved by F	Regional Field Coordinator: Sator Mufauki	Date: 3/38/17
TITLE:	Adjuvant Storage and Maintenance	
PURPOSE:	To describe the procedures for labeling, handling, and	storage of adjuvants.

SCOPE:

1. Adjuvant containers will be marked with the date of receipt, initials of the person who received the containers, the date that the container was opened, adjuvant name, concentration, storage conditions, and expiration date. If an expiration date is not provided, an expiration date of 5 years plus the date of receipt will be assigned.

All IR-4 field residue trials

- 2. A secondary container may be used for storage for ease of use and transport to remote sites. This secondary container must be properly labeled per the original container and will take on all requirements and properties of an "original container."
- 3. All adjuvants used for IR-4 research trials will be stored in a locked cabinet within a limited access facility. The cabinet temperature will be monitored with primary and back-up loggers.
- 4. Before use in an application, adjuvants will be inspected for quality. If there appears to be any changes or if there is any suspicion of contamination, the adjuvant will be discarded.
- 5. Adjuvants will be handled in a manner to prevent cross contamination with test substances and other spray additives.
 - a. Liquid spray additives will be dispensed into a clean graduated cylinder for measuring. After dispensing from the original or secondary container excess spray additive will not be returned to the original or secondary container.
 - b. Dry spray additives will be dispensed into a clean plastic measuring boat, using a clean plastic spoon if necessary, and weigh on a certified balance.

SOP 7.5

Submitted by Field Research Director:

Date: 3.13. 7.017

Approved by Regional Field Coordinator:

6.

Date: 3/30/17

TITLE:

Calculating and Measuring Liquid Pesticides.

PURPOSE:

To ensure an accurate dosage of liquid pesticides in IR-4 field research trials.

SCOPE:

All IR-4 field trials using liquid formulations of pesticides

- 1. Apply all applications in 20 gpa unless directed differently by the protocol or as recommended by FRD. Make a minimum of 3 liters of spray mix for each treatment when possible.
- 2. Calculate the amount of liquid pesticide needed per volume of spray mix by the following formula:

$$Total\ ml.\ of\ pesticide\ required\\ = \frac{rate\ lbs\ ai/acre}{lbs\ ai/gal} \times \frac{3785.3\ ml/gal}{gal.\ spray\ volume/acre} \times gal.\ needed\ for\ spray$$

- 3. Obtain a clean graduated cylinder that is of a volume appropriate to the quantity of pesticide required.
- 4. For test substance volumes less than 10 ml, measure to the nearest 0.2 ml gradation. For volumes between 10 and 25 ml, measure to the nearest 0.5 ml gradation. For volumes between 25 ml and 50 ml, measure to the nearest 1.0 ml gradation. For volumes over 50 ml, measure to the nearest 1 ml or accuracy allowed by measuring device. Read the level of the liquid in the cylinder at the bottom of the meniscus. Record the amount actually measured. After dispensing the test from the original container, excess material will not be returned to the original container.
- 5. Record the amount of pesticide removed from the container and the purpose of use in the Test Substance Records Use Log of the FDB. Record the amount of test substance, carrier, and adjuvant in Application Record of the FDB.
- 6. Wash all measuring devices with soap and water after each use.

SOP 7.6

Submitted by Field Research Director:

Approved by Regional Field Coordinator:

TITLE:

Calculating and Measuring Dry Pesticides.

PURPOSE:

To ensure an accurate dosage in the application of dry pesticides in IR-4 field

research.

SCOPE:

All IR-4 field trials using dry formulations of pesticides.

PROCEDURES:

- Apply all applications in 20 gpa unless directed differently by the protocol or as recommended by FRD. Make a minimum of 3 liters of spray mix for each treatment when possible.
- Calculate the amount of dry pesticide needed per volume of spray mix by the following formula:

Total grams of pesticide required $\frac{rate\ lbs\ ai/acre}{\%\ ai\ (as\ a\ decimal)} \times \frac{453.6\ g/lb}{gal.\ of\ spray\ volume/acre} \times gal.\ needed\ for\ spray$

- 3. Calibrate the balance according to SOP 7.7.
- Unless the protocol specifies, otherwise, place a clean transfer container on the balance and tare it. Remove the dry pesticide from its original container to the transfer container with a clean spatula, spoon, or other appropriate device. Measure the pesticide to a marked, sealable portable container. After dispensing test substance from primary container, excess material will not be returned to the original container.
- Mark the portable container with the name of the chemical, amount, date and FID #. 5.
- 6. Wash transfer devices and reusable containers with soap and water after each use.
- Record in the Test Substance Records Use Log of the IR-4 Field Data Book the amount of pesticide removed from the container, the purpose, initial and date.

SOP 7.7

Submitted by Field Research Director:

Date: 3.17.201

Approved by Regional Field Coordinator:

Date: 2/20/17

TITLE:

Calibration of an Electronic Balance for Dry Pesticide Measurement.

PURPOSE:

To ensure an accurate dosage in the application of dry pesticides.

SCOPE.

R-4 trials where a dry material is weighed for use in field research.

- 1. Prior to use, visually inspect electronic balance for cleanliness. Wipe with clean moist cloth as needed.
- 2. Prior to use, visually inspect pesticide for use in a trial, calibrate the balance by first establishing zero followed by weighing standard weights that bracket to the nearest the amount of test substance needed. Record in the Field Data Book the date, standard weights used and recorded weights and initials of person performing this task. If the balance does not weigh within one percent of the standard weight, service will be called and another balance used. Tare balance with weighing receptacle in place and weigh test substance. Record amount of test substance removed in Field Data Book.
- 3. The Field Research Director or GLP coordinator is responsible for inspection, maintenance and calibration of the electronic balance.

SOP 7.8		
L	Field Research Director: Date: 3 /3 70/	
Approved by F	Regional Field Coordinator: Gate Milandi Date: 3/30/17	
TITLE:	Application of Pesticides in the Field.	
PURPOSE:	To apply pesticides accurately in the field to meet requirements for GLP.	
SCOPE:	All IR-4 field research trials.	

- 1. Tap water will be used as a carrier for all applications.
- 2. Make a minimum of 3 liters of spray mix for each treatment. Increase the amount mixed as needed in increments.
- 3. Measure the liter of water using a clean graduated cylinder or other measuring devices. If using a liquid pesticide, discard an amount of water equal to the volume of the test chemical to be added.
- 4. The pH of the mix in the water will be determined with pH strips and recorded in the Field Data Book.
- 5. Pour about half the water into the spray tank. Add the test chemical to the tank. Rinse the measuring device or container three times with water and pour the rinsate into the tank. Then add the rest of the water to the tank.
- 6. Apply the material beginning with the lowest concentration and continuing with higher concentrations up to the highest concentration.
- 7. Proceed at the correct speed toward the plot and turn on the sprayer upon entering the plot. Maintain the correct speed throughout the plot.
- 8. Turn off the sprayer at the end of the plot.
- 9. Record pass times in the Field Data Book.
- 10. Spray out excess pesticides on an approved location, preferably near the experimental area.
- 11. Record weather data at time of application, including air temperature, soil temperature, wind direction and velocity, relative humidity, sky conditions, soil surface moisture, and plant surface moisture. Keep a record of all precipitation, irrigation, and air temperatures for the duration of the trial.

Department of Horticulture & Crop Science The Ohio State University Wooster, OH 44691

SO	P	7	.9
----	---	---	----

Submitted by Field Research Director:

Date: 7 13 2

Approved by Regional Field Coordinator:

· Date: 3/20/17

TITLE:

Procedures for Problems during Application of Test Chemicals.

PURPOSE:

To explain the procedures to handle problems that may occur during the application of the test chemical that could affect the integrity of the trial.

SCOPE:

All IR-4 field research trials

- 1. The applicator should observe all aspects of the application to make sure that the test chemical is distributed accurately.
- 2. If there is a problem, the operator should take immediate action to correct the situation. See SOP 6.6 procedure 2.
- 3. If a portion of the plot has been comprised, clearly mark off affected area and promptly contact the Study Director. Along with the Study Director, a plan can be formulated to determine the most appropriate way to proceed.
- 4. The Regional Field Coordinator and the Study Director should be notified by phone, fax, or email and in writing of the incident and details should be recorded in the IR-4 Field Data Book.

SO	P	8.	1

Submitted by Field Research Director:

Date:

Approved by Regional Field Coordinator:

TITLE:

Safe Handling of Pesticides and Use of Safety Equipment.

PURPOSE:

To ensure that pesticides are handled safely and that personnel are protected

by adequate safety equipment.

SCOPE:

All IR-4 field pesticide trials.

- 1. All personnel involved in field pesticide experiments will be properly trained in the safe use of spray equipment and pesticides.
- 2. When applying or mixing pesticide wear protective equipment as described and required on the pesticide label. This equipment may include rubber gloves, boots, coverall, goggles, hat and respirator.
- 3. Do not apply pesticides when winds exceed 10 mph. Apply pesticides with the wind to your back or side whenever possible.
- 4. Always have clean water available while handling pesticides to wash off pesticides that contact exposed skin and eyes.
- 5. Upon completion of the application wash all exposed skin with soap and water.
- 6. Clean safety equipment and let it dry before placing it into storage.
- 7. Clothing worn during pesticide application should be washed or disposed at the end of the day.

Department of Horticulture & Crop Science The Ohio State University Wooster, OH 44691 Effective page: See Approved NFC page
Revision Number: 1.0

Submitted by Field Research Director: Date: 3.13

Approved by Regional Field Coordinator: Submitted Date: 3.13

TITLE: Collection of Pesticide Data, Weather Data, and Other Information.

PURPOSE: To obtain accurate and complete data for pesticide registration.

SCOPE: All IR-4 field trials for pesticide registration

PROCEDURES:

1. Collect and record all data in accordance with good scientific practices.

2. Follow all guidelines in this SOP and the respective protocols to meet the requirements for GLP.

Department of Horticulture & Crop Science The Ohio State University Wooster, OH 44691

SOP 9.2

Submitted by Field Research Director:

Date: 3. 13. 2017

Approved by Regional Field Coordinator: <

Date:

ite: 3/30//

TITLE:

Recording, Handling, and Storage of Raw Data

PURPOSE:

To assure that data is recorded, handled and stored properly

SCOPE:

All IR-4 field research trials

- 1. Data is defined as values obtained from measuring, counting, or rating.
- 2. It is the responsibility of the Field Research Director and GLP Coordinator to ensure that all raw data, summaries and other items connected with the study are properly entered and stored in the Field Data Book.
- 3. A hard copy of electronic data and charts from monitoring devices should be placed in the file after the information is generated. The first printing of data from monitoring devices is considered the original document from which extra copies are made.
- 4. All data will be recorded in an IR-4 Field Data Book in indelible ink. Blue ink is preferred to distinguish original documents from copies. All entries must be dated and initialed.
- 5. Corrections will be made by crossing through the item with one line, initialing and dating it, and writing a short explanation for the change. Error codes in the IR-4 Field Data Book should be used whenever possible to explain the change.
- 6. Pages containing data should not be removed from the Field Data Book. Copies of blank forms may be added to the book as needed. Verified copies of data from other trials may be added following requirements on the form.
- 7. Give the location of the original data if true copies are included in the Field Data Book.
- 8. Make sure that all data required by the study protocol or by the forms provided is collected and recorded. Carefully review the forms provided with the protocol to make sure that all required data is being collected.
- 9. The Field Research Director or GLP coordinator will maintain all raw data for the current season in a secure location.

SOP 9.3		
Submitted by I	Field Research Director: Date: 3, 13, 707	
Approved by F	Regional Field Coordinator: Strange Williams Date: 3/30/17	
TITLE:	Significant Figures and Rounding Numbers	
PURPOSE:	To describe a procedure for determining significant figures and rounding numbers	
SCOPE:	All IR-4 research trials	

- 1. Retain sufficient decimal places to accurately express the measurements and measuring equipment. Consider the calibration of the equipment used to measure. All measurement numbers will be maintained at the level of accuracy produced by measurement equipment.
- 2. All numbers derived from instruments and the digits generated from subsequent calculations using these numbers will be carried through the calculations and rounded after the final value is determined.
- 3. If the last digit is <5 the number will be rounded down. If the last digit is ≥5, it will be rounded up.
- 4. Report the final value or mean value with the same number of significant figures as the data was taken.

SOP 9.4

Submitted by Field Research Director:

Date: 3.13.2017

Approved by Regional Field Coordinator:

···

Date: 3/30/1

TITLE: Collecting Efficacy and Phytotoxicity Data

PURPOSE: To describe the procedure used for taking biological field data

SCOPE: All IR-4 field research trials

PROCEDURES:

1. Consult the protocol to determine the method and timing of the phytotoxicity data. If no method is cited proceed as directed in this SOP.

- 2. For pre-emergence applications, rate crop phytotoxicity 7 and 14 days after crop germination.
- 3. For post-emergence applications, record crop stand, size, and vigor data the day of the initial herbicide treatment. Rate plots 7 and 14 days after treatments. If symptoms occur after this period, rate the plots again as needed.
- 4. Rate all the crop plants in the treatment at one time. Record phytotoxicity on a 0-100 scale: 0 = no injury: 100 = complete kill.
- 5. Consult the protocol to determine the method and timing of obtaining weed control data. If no method is cited, record the height, number of leaves, and density of the various weed species present the day of the initial treatment. Rate the plots 20 to 40 days after pre-emergence application and 7 to 14 days after post-emergence treatments again as needed.

Submitted by Field Research Director:

Approved by Regional Field Coordinator:

TITLE:

Determining Yield and Quality

PURPOSE:

To accurately assess yield and quality, if required by the protocol.

All IR-4 field research trials in which the protocol requires or encourages yield

PROCEDURES:

data.

SCOPE:

- 1. Check the protocol for information on time of harvest. Note the number of days between treatment and harvest. If none, follow commercial practices in the area for the time of harvest of the commodity.
- 2. Harvest a sufficient area of the plot to give a good estimation of the effects of the treatments. Harvest by hand or machine using accepted harvest procedures for the commodity. Weigh and record the yield.
- 3. If quality grading is required by protocol, grade according to USDA or other accepted grading standards and record weight of each portion. Record the grading standard.

SOP 9.6

Submitted by Field Research Director:

Approved by Regional Field Coordinator:

TITLE:

Collection and Recording of Data from Monitoring Devices.

PURPOSE:

To describe methods for handling data from temperature and weather collection and recording devices.

SCOPE:

All IR-4 field research trials.

- 1. All automatic data collecting and/or recording devices should be inspected and calibrated as described in SOP 9.7
- 2. Printouts or charts from these devices must be legible to persons with normal vision. The original printout of the downloaded data from a device is the original document. Reproductions of these documents must be marked as copied.
- 3. Hard copies of computerized data and/or other written, typed, or plotted data sheets must be retained in the file folder of the trial or if applicable to more than one trial in a separate file in the Field Research Director's archives.
- 4. Each chart or data sheet from a monitoring device should be marked in ink with location, dates (month, day, year) of the period measured, and initialed by the individual who removes the chart from the device. Units should be indicated on the charts.
- 5. The Field Research Director or GLP coordinator is responsible for inspection, maintenance, and calibration of the equipment.
- 6. Since the Field Research Director does not control weather monitoring devices, weather data may not meet requirements for GLP.
- 7. Automated weather monitoring equipment is preferred when available. Hard copies of weather data from automated monitoring equipment should be included in trial reports.
- 8. If automated equipment is not available, weather data should be recorded manually in an experiment station logbook and maintained on file at the station. The data can be transferred from there to the final report.

SOP9.7	0 0	
Submitted by	Field Research Director: W/ Joal Date: 3,13,2014	
Approved by F	Regional Field Coordinator: July Date: 3/30/17	
TITLE:	Maintenance of Monitoring, Data Generating Devices and GPS Unit.	
PURPOSE:	To assure monitoring and data generating devices under the control of the Field Research Director are reasonably accurate and in good working order.	
SCOPE:	All IR-4 field research trials.	

- 1. All temperature monitoring devices under the Field Research Director's control used to gather data in field or storage should be periodically tested to determine that they are accurate comparison to high quality thermometer.
- 2. Batteries will be changed annually, or more frequently if necessary, in monitoring and data generating devices.
- 3. A hand held GPS unit may be used to determine the coordinates of the plot corners and the distance to permanent landmarks. At the beginning of the field season the GPS unit readings will be verified for accuracy and precision against permanent known locations. Three readings will be taken and reported to establish accuracy. Readings within 2 meters of the location are considered accurate. The results of the annual verification of the permanent site, the date of the annual battery change and any maintenance to the unit will be noted on the annual GPS Log Form.
- 4. Monitoring devices that give inconsistent results or that are not accurate to within 10% should be replaced or repaired.
- 5. A written record, the Equipment Maintenance and Calibration Form, will record the dates and results of the annual testing.

SOP 9.8

Submitted by Field Research Director:

Date: 3.13.2017

Approved by Regional Field Coordinator:

Date: 3/20/10

TITLE:

Data Archiving and Retention

PURPOSE:

Data archiving, retention and Quality Control review

SCOPE:

All IR-4 field research lab.

- 1. The official archive for original raw data will be located at IR-4 headquarters.
- 2. The Field Research Director or GLP Coordinator will make an exact copy of the original raw data including completed Field Data Book, including logs, weather data, personnel forms, etc. These copies will be retained in a secure location at OSU OARDC.
- 3. All information in the Field Research Director's file should be clearly identified.
- 4. All original raw data not included in the Field Data Book, will be sent directly to IR-4 Headquarters with a chain of custody form including name of courier, tracking number and inventory of items sent.
- 5. All completed Field Data Books will be submitted to the Regional Field Coordinator to review for completeness and accuracy. The Regional Field Coordinator will follow up to obtain any missing data or correct deficiencies with the Field Research Director's consent.
- 6. The Field Research Director or GLP coordinator will add any additional or changed pages to the Field Data Book copy on file and these updated pages will be used for all subsequent quality control or quality assurance reviews and audits.

SO	P	9.	9
----	---	----	---

Submitted by Field Research Director:

Date: 3.13 7017

Approved by Regional Field Coordinator:

Date: 3/2///7

TITLE:

Equipment not Requiring SOPs

PURPOSE:

To identify what type of equipment will not require an SOP

SCOPE:

Equipment used in IR-4 research trials

PROCEDURES:

1. The equipment used in trials that require an SOP are:

- a. Application Equipment: SOP 6.2, 6.3, 6.4.
- b. Electronic balance: SOP 7.6
- c. Automated Data Collection/ Recording Devices: SOP 9.6.
- d. GPS unit: SOP 9.6.
- 2. All other equipment used to conduct an IR-4 field trial will not require an SOP.
- 3. As new equipment is acquired, the Field Research Director or GLP coordinator will determine whether it requires a SOP.

SOP 10.1	
Submitted by Fig	eld Research Director: (/ / Splin Date: 3, 13,7017
Approved by Re	gional Field Coordinator: Store Myashi Date: 3/30/17
TITLE:	Residue Sample Collection, Storage, and Shipping.
PURPOSE:	To describe procedures for harvesting, handling, storing, and shipping.
SCOPE:	All IR-4 field trials from which residue samples are required.

- 1. All residue samples will be handled according to the SOP and the study protocol.
- 2. Residue samples will be handled and stored in such a way as to ensure their integrity upon arrival at the analysis laboratory.

спесиче раце: эее Approved кгс раце Revision Number: 1.0

SOP 10.2				
Submitted by F	Field Research Director: 41 / Joahn Date: 3 13 20			
Approved by R	Regional Field Coordinator: Satom Willaki Date: 3/30/17			
TITLE:	Collecting Residue Samples			
PURPOSE:	To assure that representative residue samples are collected and that their integrity is maintained.			
SCOPE:	All IR-4 field trials from which residue samples are required.			

- 1. At the beginning of each growing season, the Field Research Director or GLP coordinator will prepare a Master Timetable for all projects. The Master Timetable will include projected planting, treatment, and sample collection dates. Depending on the protocol, samples may be required at a specific number of days after treatment, at the earliest commercial harvest, or at some other predetermined time. Sample collection dates may be adjusted as the season progresses, and the progression dates modified on the Master Timetable. The Quality Assurance Officer will be kept informed of changes in projected sampling data.
- 2. Avoid collecting samples during rain, unless it is necessary to do so to meet a time requirement in the protocol.
- 3. Collect samples from untreated plots first, then proceed to the lowest and sequentially higher dosages. Collect all samples from each subplot of a treatment before proceeding to the next treatment.
- 4. Consult the protocol to determine the sample size and sampling method. If no instructions are given, collect 2 to 4 lb of good quality product from each subplot.
- 5. If 2 lb of product is not available collect as much as possible, and describe in the Field Data Book any reasons for the small sample size.
- 6. Do not wash or clean sample product unless directed to do so by protocol.
- 7. Avoid cross contamination of samples during harvesting and handling by wearing disposable surgical gloves and changing the gloves between samples.
- 8. The Pre Harvest Interval (PHI), prompted in Part 7A of the Field Data Book is calculated by counting the day after the last application up to and including the day of harvest.
- 9. After harvest, treated rows of annual crops will be mowed, disked, or otherwise destroyed. Date of this action will be noted in Field Data Book.
- 10. Treated rows or trees of perennial crops will be marked with a sign which will indicate that fruit should not be picked and/or eaten and plot should not be entered.

Department of Horticulture & Crop Science The Ohio State University Wooster, OH 44691

S	O	P	1	n	.3
u	v	1	- 1	v	

Submitted by Field Research Director:

Date: 5.

7017

Approved by Regional Field Coordinator:

tor: Saton Myazaki

Date: 3/30/(*

TITLE:

Sample Containers and Identification

PURPOSE:

To specify how samples are to be identified.

SCOPE:

All IR-4 field trials requiring residue samples.

- 1. Prior to sample collection, obtain from the IR-4 Regional Field Coordinator a sufficient number of IR-4 plastic lined cloth bags for the trial. If these bags are not available, use any clean sampling bags suitable to preserving the integrity of the samples. Double plastic bags are usually sufficient. Plastic, food type bags may be used for sample collection. These are placed inside of cloth bags after sampling is completed.
- 2. Before sampling, label each IR-4 plastic lined cloth bag with waterproof ink with the following information:
 - a. Field Trial Identification Number
 - b. Commodity (crop)
 - c. Chemical (common name) and application rate (lb ai/a)
 - d. Treatment number
 - e. Sample number
 - f. Sampling date
 - g. Investigator: Name/ Address/ Phone
- 3. Each plastic, food type bag should be labeled with the following information:
 - a. Field Trial Identification Number
 - b. Commodity (crop)
 - c. Chemical (common name) and application rate (lb ai/a)
 - d. Treatment number
 - e. Sampling Number
 - f. Sampling date
- 4. Fill out a 5x8 Sample Identification Card for each sample bag. Sample I.D. cards should contain the following information:
 - a. Field Trial Identification Number
 - b. Commodity and plant part
 - c. Treatment number
 - d. Application date
 - e. Sample number
 - f. Treatment and dosage
 - g. Sampling date
 - h. Investigator: Name/ Address/ Phone
- 5. Place each card in a moisture proof container and place it inside the plastic food type bag with the harvested sample.
- 6. Place the plastic bag with the harvested sample in the IR-4 plastic lined cloth bag and tie bag closed securely.

SOP 10.4			
Submitted by I	Field Research Director: W/ Doule Date: 3.13.2014		
Approved by F	Regional Field Coordinator: Satur Mujaski Date: 3/30/17		
TITLE:	Sample Packing and Storage.		
PURPOSE:	To assure the integrity of the samples after collection in the field.		
SCOPE:	All IR-4 field research trials where residue samples are collected.		

- 1. Place the sample as it is collected into a plastic sample bag marked for that sample. Place the Sample Identification Card into the bag.
- 2. Expel excess air and close the plastic sample bag with a twist tie. Place plastic sample bag into marked IR-4 cloth sample bag. Tie bag securely closed.
- 3. Place a filled sample bag into cooler or other appropriate container containing blue ice and transport to freezer or lab if additional sample preparation is required. Place sample bags from same treatment group into large plastic bags and put into shipping carton(s) before placing samples in freezer. Treated and untreated samples may be shipped in the same carton unless specified differently in the protocol. Samples will remain in the freezer until shipped.
- 4. A freezer log of IR-4 samples will be maintained indicating for each harvest the following:
 - a. Study I.D. number
 - b. Time and date samples were placed in freezer
 - c. Time and date of removal from freezer

Each entry should be dated and initialed by individual making the entry.

5. Store the residue samples in a freezer. Maintain a record of storage temperature and submit the record with the IR-4 Field Data Book upon completion of the trial.

SOP 10.5	1 1	
Submitted by Field Research Director: (1) Dalue Date: 3 /3 ZU/7		
Approved by Re	gional Field Coordinator: Satur Mymile Date: 3/30/17	
TITLE:	Maintaining Freezer Storage Systems.	
PURPOSE:	To maintain the integrity of all frozen samples held as part of IR-4 GLP residue studies.	
SCOPE:	All IR-4 field research trials where residue samples are collected.	

- 1. A walk-in freezer (typically Freezer 47, Selby Hall) will be maintained for use as sample storage for residue samples. The freezer is capable of achieving and maintaining temperatures consistent with those requested in trial protocols.
- 2. Maintenance records, including routine and non-routine maintenance, will be kept for the freezer storage facility.
 - a. Routine maintenance is the result of normal wear.
 - b. Non-routine maintenance is the result of equipment malfunction.
- 3. At the beginning of each field season, the freezer will be inspected and the temperature range confirmed.
- 4. While GLP samples are present in the freezer, access to those samples will be restricted. All GLP samples will be designated as such to separate them from non-GLP samples. All samples will be stored in such way as to prevent contamination.
- 5. Temperature conditions in the freezer will be monitored continually using Hobo data loggers from the time of the first harvest of the season to the time of shipment of the last set of samples. Temporary spikes resulting form addition or packing of samples are acceptable. Hobo data loggers will be replaced every 2-3 years or as needed to maintain accuracy.
 - a. An inventory of active data loggers and maintenance logs for each active logger will be kept.
 - b. Accuracy will be checked against a NIST (The National Institute of Standards and Technology) certified thermometer at room temperature at least once every 2 months. The acceptable tolerance for thermometer and temperature recording devices will be +/-5°F. If the tolerance limit has been exceeded, logger will be replaced.
 - c. Data will be downloaded monthly during the trial.
 - d. Information regarding return of instruments for repair, service, or calibration will be maintained in Maintenance Log Binder.
- 6. A freezer contents log, documenting the movement of samples to and from the freezer, will be maintained. This log, or a copy, will be placed in the appropriate FDBs.
- 7. The freezer is connected to an alarm system in the event that the freezer temperature goes below -40 or above 20F. This system is not maintained under GLP guidelines and is

enective pale: See Approved Krc pale

Revision Number: 1.0

SOP 10.5

Submitted by Field Research Director:

Date: 3 13 2017

Approved by Regional Field Coordinator: 4

Date: 3/30 /17

intended only to monitor freezer conditions. If the alarm is activated, record the time and temperature on the freezer temperature log.

- 8. In the event of a malfunction with the primary freezer, samples may be placed in another freezer capable of sustaining temperatures at or below 0°F (see Freezer in Rm130, Selby Hall or Freezer in Hort Insects Laboratory). A data logger will be placed in this temporary facility for as long as samples remain. Appropriate measures will be taken to prevent contamination during temporary storage
- 9. If the malfunction results in a deviation from a study protocol, the deviation will be documented and the Study Director will be notified.

SOP 10.6

Submitted by Field Research Director:

Approved by Regional Field Coordinator:

TITLE:

Sample Shipping Procedures

PURPOSE:

To assure that the residue samples are shipped to the residue laboratory with no loss of integrity.

PROCEDURES:

SCOPE:

- 1. Place a copy of completed IR-4 Residue Sample Chain of Custody Form (8B) and a copy of the Sample Arrival Check Sheet (8c) into each shipping container.
- 2. Pack the boxes securely so that they can withstand stacking in the truck. Tape the lids shut. No dry ice is needed for shipping by freezer truck. If shipped by airfreight add dry ice in a 3:1 ratio to sample weight or 40 lb dry ice regardless of sample weight.
- 3. Label each shipping carton with the following information:
 - Name and Address of sender.
 - b. Name, address, of the residue lab receiving samples

All residue samples from IR-4 field trials

- c. Number of container if more than one is used
- d. Where used, affix "Dry Ice" on two sides of the container.
- e. Field ID number
- f. Commodity and Pesticide
- 4. Ship samples by ACDS freezer truck (ACDS Trucking Inc, Phelps, NY) if possible. After harvest, contact ACDS regarding the next sample pick up date. ACDS will schedule a pick-up date and contact the Field Research Director. The Field Research Director or GLP coordinator will notify the receiving laboratory as soon as possible after the pick-up date and time are confirmed. When the truck arrives, deliver the samples directly to the truck.
- 5. If it is not possible to ship by freezer truck, ship by airfreight with next day delivery. Ship Airfreight Monday or Tuesday to avoid weekend arrivals.
- 6. After samples have been shipped send a copy of the Residue Sample Chain of Custody Form (8B) to the Regional Field Coordinator and Study Director.

Effective Date: See Approved AFC Date

Revision Number: 1.0

SOP 11.1

Submitted by Field Research Director:

Date: 3.13 2017

Approved by Regional Field Coordinator:

Date: 3/

TITLE:

Trial Reports

PURPOSE:

To describe the format for reporting trial activities and results

SCOPE:

All IR-4 field trials

PROCEDURES:

1. All data and information from a trial will be included in the IR-4 Field Data Book, which will be returned to the Regional Field Coordinator by the Field Research Director upon completion of the field portion of the trial.

- 2. Additional forms, data, or information that may be needed to comply with standard operating procedures and GLP include:
 - a. Organizational chart
 - b. Current vita and position descriptions
 - c. Pesticide log book
 - d. Chemical storage recorder or thermograph records
 - e. Freezer inventory log
 - f. Equipment maintenance and calibration form
 - g. Balance weights verification
 - h. Master timetable
 - i. Freezer inventory log
 - j. Freezer thermograph charts
 - k. Study deviation forms
 - I. Protocol change forms
 - m. Correspondence concerning the trial or project
 - n. Pesticide application equipment maintenance and calibration form
 - o. Global Positioning System (GPS) report
 - p. Soil analysis report
 - q. Weather records
 - r. Maps
 - s. Shipping bill of lading

епестие разе: See Approved arc разе Revision Number: 1.0

SUBmitted by Field Research Director:

Approved by Regional Field Coordinator:

TITLE:

Completion of the IR-4 Field Data Book

PURPOSE:

To explain the use of report forms contained in the IR-4 Field Data Book.

SCOPE:

All IR-4 field trials.

- 1. All forms should be filled out legibly in indelible ink or typewritten. Mistakes should be crossed out with one line, initialed, and dated. Include the reason for the change. Use error codes where appropriate.
- 2. The date format for entries in the Field Data Book will follow month/day/year.
- 3. Use forms provided in the IR-4 Field Data Book. Blank forms may be photocopied as needed.
- 4. The appropriate forms should be filled out as completely as possible within a reasonable period of time after the information is available. Data should be recorded directly into the IR-4 Field Data Book.
- 5. If a form or section of a form does not require a response, draw a diagonal line from the top of the page or section to the bottom. Initial and date on the diagonal line or sign and date at the bottom of the page. If the requested data are not applicable, give an explanation.
- 6. Number each form (e.g. Part x Page x) within each section of the IR-4 Field Data Book. Include the total number of pages in each section in the first page of that section.
- 7. If raw data applies to more than one trial, the original will be kept in temporary storage by the Field Research Director or GLP coordinator until the end of the field season. Copies placed in the Field Data Books will be marked as a "True Copy of the Original", signed and dated, and the location of the original noted. The original may also reside in the permanent archive/ record storage facility and "True Copies", signed, dated, and indicating this location may be used in the Field Data Book. At the end of the field season the original documents will be transferred to Headquarters to the archives.

SOP11.3	\cap	
Submitted by F	Field Research Director: (() / Doll Date: 3 13 7013	
Approved by F	Regional Field Coordinator July Mynhi Date: 3/30/17	
TITLE:	Disposition of Completed IR-4 Field Data Books and Other Documentation.	
PURPOSE:	To assure completed IR-4 Field Data Books reach the Field Research Coordinator as soon as possible.	
SCOPE:	All IR-4 field trials.	

- 1. The original of the completed IR-4 Field Data Books and any accompanying documentation should be forwarded to the IR-4 Field Research Coordinator within a reasonable period of time after the trial is completed.
- 2. The IR-4 Regional Field Coordinator will review the IR-4 Field Data Books for completeness and accuracy. Incomplete IR-4 Field Data Books will be returned to the Field Research Director with comments on deficiencies and suggestions for completion.
- 3. The Field Research Director or GLP coordinator will place a copy of the completed reports and related correspondence in his trial folder to be used for subsequent QA audits.

Department of Horticulture & Crop Science
The Ohio State University
Wooster, OH 44691

SOP 12.1		
Submitted by Fig	eld Research Director:	Date: 3. / 3 70/-
Approved by Re	gional Field Coordinator: Sation Myssiplic	Date: 3/30/17
TITLE:	Archive and Record Storage	
PURPOSE:	To assure the integrity of information and data under the Research Director.	control of the Field

PROCEDURES:

SCOPE:

- 1. A limited access facility of sufficient size to contain all records/archival material should be available at or in close proximity to the location of the Field Research Director responsible for the conduct of the trials. An index of records and materials contained in the archives should be available.
- 2. The facility should be in a building with adequate fire protection.

All IR-4 field trials.

- 3. The archive for all completed IR-4 trials will be maintained at IR-4 headquarters. Raw data and Field Data Books will be sent to IR-4 headquarters through the IR-4 Regional Field Coordinator upon completion of the trials.
- 4. At the end of the field season the Field Research Director or GLP coordinator will transfer all original GLP data and other GLP records from the test site to IR-4 HQ for archival. Data and records will include: the equipment maintenance/ calibration forms, freezer content log, freezer logger temperature data, GPS calibration log, personnel forms, pesticide storage temperature monitoring data, weather and other original data forms that were used for more than one trial. An IR-4 Raw Data/Documents Transfer Form will show the inventory of all items being transferred and document the chain of custody information. The Field Research Director will hold a copy of all materials.
- 5. The Field Research Director will maintain the following in his archive/ record storage area:
 - a. Photocopies of completed IR-4 Field Data Books including the protocols, audits, and other relevant information.
 - b. Photocopies of all original records transferred to Headquarters' archives.
 - c. Current and previous editions of Standard Operating Procedures (SOP).
 - d. Organizational charts, training records, job descriptions and CVs for current and former employees.
 - e. Original thermograph charts from temperature monitoring devices.
 - f. Any correspondence pertaining to IR-4 trials.
 - g. Service records for equipment.
 - h. Soil test reports.
 - i. GPS plot location data.
 - Other relevant information.

UARDL Weed Lab
Department of Horticulture & Crop Science
The Ohio State University
Wooster, OH 44591

Emective pate: See Approved KFC pate Revision Number: 1.0

SOP 12.1

Submitted by Field Research Director:

Date: 3 17 2017

Approved by Regional Field Coordinator:

Date: 3/30//7

6. The Field Research Director is the designated archivist for the facility and the GLP coordinator is the back-up archivist.

enective pate: See Approved NFC pate
Revision Number: 1.0

SOP 12.2	0 0	·
Submitted by I	Field Research Director: (/ Joble	Date: 3 13 201
Approved by F	Regional Field Coordinator: Sator Mullipula i	Date: 3/3à//7
TITLE:	Retention Times for Documents in Archives.	
PURPOSE:	To assure that data and documents are retained as long as required.	
SCOPE.	All IR-4 field trials	

- 1. Data supporting the registration of a pesticide use pattern should be retained for the life of registration.
- 2. Data that is not used in support of the registration of a pesticide use pattern should be held for 2 years following the date of the completion of the study. It may only be discarded with written approval of the Study Director.

Department of Horticulture & Crop Science
The Ohio State University
Wooster, OH 44691

Effective page: See Approved KFC page
Revision Number: 1.0

SOP 13.1

Submitted by Field Research Director:

Date: 3 /3 ZO/

Approved by Regional Field Coordinator

Date: 3/2///

TITLE:

Quality Assurance.

PURPOSE:

To meet IR-4 requirements for Quality Assurance.

SCOPE:

All IR-4 field trials.

PROCEDURES:

1. A Quality Assurance Unit (QAU) will monitor research trials to assure that good scientific methods are being employed and that the Field Research Director is complying with his SOP and with study protocols. Quality Assurance Unit SOP's are maintained by IR-4 Headquarters and all QAU activities are coordinated by the IR-4 QAU.

UARDL weed Lab
Department of Horticulture & Crop Science
The Ohio State University
Wooster, OH 44691

SOP14.1	
Submitted by F	Field Research Director: Date: 5,370/7
Approved by R	egional Field Coordinator: Satur Mulasaki' Date: 3/30/17
TITLE:	Procedures to Follow prior to an EPA Inspection.
PURPOSE:	To provide guidance to OSU personnel in responding to a request for an EPA audit, inspection or review.
SCOPE:	All IR-4 research trials in the Department of Horticulture and Crop Science at the Ohio State University.

- 1. Notify the Study Director and Regional Field Coordinator of the pending audit or review as soon as possible.
- 2. Have available as much as possible all personnel directly involved in IR-4 trials in HCS, OSU/OARDC.
- 3. Make sure that someone who is authorized to accept the Notice of Inspection will be present at the start and finish of the inspection.
- 4. Prepare trial and/or facility personnel for the inspection.
 - a. Discuss position descriptions with technical personnel so they understand and can explain their role in the trial.
 - b. Discuss possible questions that may likely come up about the trial or facility and make sure everyone understands what to expect.
 - c. Instruct personnel to respond specifically to the questions asked and not to provide extraneous information. Do not provide any information unless asked.
 - d. Be certain that all documents relevant to the trial and facilities are available, including:
 - 1) Master schedule for the field research director.
 - 2) Study Protocol and current and historical Standard Operating Procedures.
 - 3) Raw data, correspondence and logs.
 - 4) Training records and CVs of personnel involved in the audited trial.
 - 5) Documentation of test substance characterization, receipt and handling.
 - 6) Maintenance/Calibration logs on equipment.
- 5. Have available the organizational charts and a map of the facility.

Enecuve pate: See Approved Arc pate

Revision Number: 1.0

SOP 14.2		
Submitted by I	Field Research Director: Date: 3 13 701	
Approved by F	Regional Field Coordinator: Saturn Mymahi Date: 3/30/17	
TITLE:	Procedures to Follow during EPA Inspection.	
PURPOSE:	To provide the guidance to trial personnel in responding to a request for an EPA audit/inspection or review.	
SCOPE:	All IR-4 research trials in the Department of Horticulture and Crop Science at	

PROCEDURES:

- 1. Greet the inspection team and follow any institutional procedures for signing in. Escort the entire group to the meeting room.
- 2. At the opening of the conference ask the lead inspector for his/her credentials and for any opening statements.
- 3. Introduce the facility personnel present and state their function in the facility or trial. Identify the person who will accept the Notice of Inspection.
- 4. Ask the lead inspector for his or her agenda for the inspection.

the Ohio State University.

- 5. Proceed with the inspection.
 - a. Provide documents requested and provide explanations as needed.
 - b. Keep notes of observations and of all interviews
 - c. Keep IR-4 management informed of the progress of the inspection and the findings.

SOP14.3		
Submitted by	Field Research Director: Date: 3,3201	
Approved by F	Regional Field Coordinator: 51 Mingsh' Date: 3/30/17	
TITLE:	Procedures to Follow after the EPA Inspection.	
PURPOSE:	To provide guidance to personnel in responding to a request for an EPA audit/inspection or review.	
SCOPE:	All IR-4 research trials in the Department of Horticulture and Crop Science at	

- 1. The Field Research Director or GLP coordinator must be present for the closeout conference.
- 2. If the inspector's comments are in error, call this to the inspector's attention.

the Ohio State University.

- 3. If you have corrected any problems during the inspection make sure that the corrections are so noted in the inspector's logbook.
- 4. Have someone take accurate notes or record the closeout conference on tape if taping is acceptable to the inspectors.
- 5. Be sure you obtain copies of documents or other materials that may be taken as exhibits by the inspectors.
- 6. Inform site personnel, Regional Field Coordinator, and the Study Director of any problems found.
- 7. Respond to deficiencies as required.
- 8. Keep Study Director informed of any activity related to the inspection.