



[Environment Horticulture Program Research Summaries](#)

IR-4 Environmental Horticulture Program Pyrifluquinazon Crop Safety

**Authors: Ely Vea and Cristi L. Palmer
Date: 5/21/2019**

Acknowledgements

**Susan Bierbrunner
Diane Infante
Lori Harrison**

This material is based upon work that is supported by the National Institute of Food and Agriculture, U.S. Department of Agriculture, under award number 2015-34383-23710 and 2017-34383-27100 with substantial cooperation and support from the State Agricultural Experiment Stations and USDA-ARS.

Table of Contents

Table of Contents	2
Table of Tables	3
Abstract	4
Introduction.....	5
Materials and Methods.....	5
Results and Summary	5
Phytotoxicity.....	5
Label Suggestions	14
Appendix 1: Contributing Researchers	15

Table of Tables

Table 1.	List of Pyriproxyfen treated crops with no or minimal transitory injury.	6
Table 2.	List of Pyriproxyfen treated crops with no injury at 1X but significant injury at 2X or 4X.	6
Table 3.	List of Pyriproxyfen treated crops with significant injury at 1X.	6
Table 4.	List of Pyriproxyfen treated crops where more information is needed.	6
Table 5	Detailed Summary of Crop Safety Testing with Pyriproxyfen	7

Abstract

Pyrifluquinazon was registered for use on greenhouse environmental horticulture crops as foliar sprays in the United States in 2013 to manage whiteflies, aphids, leafhoppers, chilli thrips, and mealybugs. The label contains a list of crops tested for tolerance. From 2010 to 2016, the IR-4 Project conducted 131 trials on 29 ornamental plant species / genera examining phytotoxicity related to pyrifluquinazon applications. In these trials, 23 species or genera exhibited minimal or no injury after foliar applications in a minimum of 3 trials for each crop. Nineteen of these are already in the current Rycar label; the other four can be added to the label. All trials for six other species or genera exhibited minimal or no injury in the limited number of trials (one or two) for each crop and two of these are already registered.

Introduction

Pyriproxyfen was registered for use on greenhouse environmental horticulture crops as foliar sprays in the United States in 2013 to manage whiteflies, aphids, leafhoppers, chilli thrips, and mealybugs. The label contains a list of crops tested for tolerance. From 2010 to 2016, the IR-4 Project conducted 131 trials on 29 ornamental plant species / genera examining phytotoxicity related to pyriproxyfen applications.

Materials and Methods

Pyriproxyfen was tested as foliar treatment typically three times at approximately 14 days interval or as a single drench application. The foliar application rates were typically 6.38, 12.76 and 25.52 fl oz per 100 gal, plus a water treated control. A minimum of three plants (replicate treatments) were required with most researchers exceeding this minimum. Phytotoxicity was recorded on a scale of 0 to 10 (0 = no phytotoxicity; 10 = complete kill) one to four times from 1 to 8 weeks after initial application. For IR-4 testing, the following protocols were used: 10-004, 11-016, 12-002, 13-002, 14-008, 15-008 and 16-008. For more detailed materials and methods, including application rates for various products, please visit <https://www.ir4project.org/ehc/ehc-registration-support-research/env-hort-researcher-resources/#Protocols> to view and download these protocols.

Pyriproxyfen was supplied to researchers (See list of researchers in Appendix 1) by Nichino and SePro.

Results and Summary

Phytotoxicity

Based on the type and nature of injury seen with pesticide applications, tested plant species /genera were placed into three categories: 1) no significant phytotoxicity or growth differences from the untreated check or any injury was transitory, 2) no or minimal transitory injury seen at the 1X rate, but the 2X and/or 4X rates did cause significant phytotoxicity, 3) significant injury sufficient to recommend growers not utilize pyriproxyfen, and 4) more data are needed to make informed recommendations.

No significant injury was observed.

Please see Table 5 for a summary of the individual trial results.

Table 1. List of Pyrifluquinazon treated crops with no or minimal transitory injury.

<i>Alyssum</i> sp. ¹	<i>Impatiens</i> sp. ¹
<i>Angelonia angustifolia</i> ¹	<i>Impatiens hawkeri</i> ¹
<i>Antirrhinum majus</i> ¹	<i>Lobularia maritima</i> ¹
<i>Bacopa</i> sp.	<i>Pelargonium x hortorum.</i> ¹
<i>Begonia</i> sp. ¹	<i>Petunia</i> sp. ¹
<i>Calibrachoa</i> sp.	<i>Rosa</i> sp. ¹
<i>Chrysanthemum</i> sp. ¹	<i>Salvia splendens</i> ¹
<i>Dahlia</i> sp. ¹	<i>Tagetes</i> sp. ¹
<i>Dracaena</i> sp.	<i>Verbena</i> sp. ¹
<i>Fuschia</i> sp.	<i>Viola</i> sp. ¹
<i>Gerbera</i> sp. ¹	<i>Zinnia</i> sp. ¹
<i>Hedera</i> sp.	

¹ Already registered

Table 2. List of Pyrifluquinazon treated crops with no injury at 1X but significant injury at 2X or 4X.

None

Table 3. List of Pyrifluquinazon treated crops with significant injury at 1X.

None

Table 4. List of Pyrifluquinazon treated crops where more information is needed.

<i>Coreopsis</i> sp. ¹	<i>Hydrangea</i> sp. ³
<i>Dianthus</i> sp. ²	<i>Rosa</i> sp. ^{1, 2}
<i>Gardenia</i> sp. ¹	
<i>Hibiscus</i> sp. ¹	

¹ No injury in 1 trial

² Already registered

³ No injury in 2 trials

Table 5 Detailed Summary of Crop Safety Testing with Pyriproxyfen

Notes: Table entries are sorted by crop Latin name. Only those trials with research reports received by 12/1/2017 are listed below.

PR#	Crop	Production Site	Researcher	State	Year	Application Type	Results
31133	Madwort (Alyssum sp.) 'Clear Crystal Purple'	Field Container	Freiberger	NJ	2013	Foliar	No phytotoxicity with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
31133	Madwort (Alyssum sp.) 'Wonderland DP Purple' & 'Wonderland Pink'	Field Container	Wade	SC	2013	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times; all plants marketable.
31133	Madwort (Alyssum sp.) 'Wonderland Rose'	Field Container	Davis	MI	2011	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied three times.
30183	Narrowleaf Angelonia (Angelonia angustifolia) 'Angel Mist Pink'	Greenhouse	Chen	LA	2011	Foliar	No injury or significant difference in plant growth and quality with 6.38, 12.76 and 25.52 fl oz per 100 gal applied twice.
30183	Narrowleaf Angelonia (Angelonia angustifolia) 'Serena Purple'	Greenhouse	Chen	LA	2011	Foliar	No injury or significant difference in plant growth and quality with 6.38, 12.76 and 25.52 fl oz per 100 gal applied twice.
30183	Narrowleaf Angelonia (Angelonia angustifolia) 'Sundancer Pink'	Greenhouse	Freiberger	NJ	2013	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal mixed with surfactant applied 3 times.
30351	Garden Snapdragon (Antirrhinum majus)	Field Container	Reding	OH	2013	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times with NIS; all plants marketable.
30351	Garden Snapdragon (Antirrhinum majus) 'Chimes Rose'	Field Container	Davis	MI	2011	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied three times.
30351	Garden Snapdragon (Antirrhinum majus) 'Peachy Dragon'	Field Container	Freiberger	NJ	2012	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
30351	Garden Snapdragon (Antirrhinum majus) 'Speedy Sonnet White'	Field Container	DeFrancesco	OR	2013	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
30665	Water Hyssop (Bacopa sp.) 'Abunda Colossal Blue'	Greenhouse	Chen	LA	2013	Foliar	No significant injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied twice.
30665	Water Hyssop (Bacopa sp.) 'Abunda Colossal White'	Greenhouse	Chen	LA	2013	Foliar	No significant injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied twice.
30665	Water Hyssop (Bacopa sp.) 'Blutopia Blue'	Greenhouse	Freiberger	NJ	2014	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal + NIS applied 3 times.
30665	Water Hyssop (Bacopa sp.) Sutura cordata 'Snowstorm Pink'	Greenhouse	Gilrein	NY	2013	Foliar	No injury on foliage or flowers with 6.38, 12.76, and 25.52 fl oz per 100 gal applied biweekly three times.
30665	Water Hyssop (Bacopa sp.) Sutura cordata 'Snowstorm White'	Greenhouse	Gilrein	NY	2013	Foliar	No injury on foliage or flowers with 6.38, 12.76, and 25.52 fl oz per 100 gal applied biweekly three times.
30362	Begonia (Begonia sp.) B. semperflorans 'Bada Boom'	Field Container	Davis	MI	2014	Foliar	No injury with 6.38, 12.76 and 25.52 fl oz per 100 gal + Capsil applied 3 times.
30362	Begonia (Begonia sp.) B. semperflorans 'Green Leaf'	Field Container	Davis	MI	2010	Foliar	No significant injury at 6.38, 12.76, and 25.52 fl oz per 100 gal.
29317	Begonia (Begonia sp.) B. x semperflorans-cultorum 'Cocktail Rum'	Greenhouse	Gilrein	NY	2011	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal.

PR#	Crop	Production Site	Researcher	State	Year	Application Type	Results
29317	Begonia (Begonia sp.) B. x semperflorens-cultorum 'Eureka GL White'	Greenhouse	Gilrein	NY	2011	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal.
30362	Begonia (Begonia sp.) 'Big Rose'	Field Container	Uber	CA	2013	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal + Capsil applied 3 times.
29317	Begonia (Begonia sp.) 'Cocktail Pink'	Greenhouse	Chen	LA	2012	Foliar	No injury with 6.38, 12.76 and 25.52 fl oz per 100 gal applied twice; virtually no growth reduction.
29317	Begonia (Begonia sp.) 'Cocktail White'	Greenhouse	Chen	LA	2012	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied twice.
29317	Begonia (Begonia sp.) 'Dragon Wing Red'	Greenhouse	Freiberger	NJ	2011	Foliar	No and very minor injury (at 4X) with 6.4, 12.8 and 25.5 fl oz per 100 gal + surfactant applied 3 times.
29317	Begonia (Begonia sp.) 'Non-stop Orange'	Greenhouse	Freiberger	NJ	2011	Foliar	No and very minor injury (at 4X) with 6.4, 12.8 and 25.5 fl oz per 100 gal + surfactant applied 3 times.
30362	Begonia (Begonia sp.) 'Red'	Field Container	Davis	MI	2011	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied three times.
31689	Calibrachoa (Calibrachoa sp.) 'Banana Chocolate'	Greenhouse	Gilrein	NY	2014	Foliar	No injury on leaves and flowers, and no growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
31689	Calibrachoa (Calibrachoa sp.) 'Kabloom White'	Greenhouse	Freiberger	NJ	2014	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
31689	Calibrachoa (Calibrachoa sp.) 'Lemon Slice'	Greenhouse	Gilrein	NY	2014	Foliar	No injury on leaves and flowers, and no growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
31689	Calibrachoa (Calibrachoa sp.) 'MiniFamous TM Compact Blue'	Greenhouse	DeFrancesco	OR	2015	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.6 fl oz per 100 gal applied biweekly.
31689	Calibrachoa (Calibrachoa sp.) 'Petcoa Supercal Neon Rose'	Greenhouse	Vafaie	TX	2015	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.6 fl oz per 100 gal + Preference applied 3 times biweekly.
31689	Calibrachoa (Calibrachoa sp.) 'Superbells Apricot Punch'	Greenhouse	Cloyd	KS	2016	Foliar	No injury with 6.4, 12.8 and 25.6 fl oz per 100 gal.
31689	Calibrachoa (Calibrachoa sp.) 'Superbells Lemon Slice'	Greenhouse	Vafaie	TX	2015	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.6 fl oz per 100 gal + Preference applied 3 times biweekly.
30536	Chrysanthemum, Garden (Chrysanthemum/Dendranthema sp.) 'Jamestown'	Greenhouse	Uber	CA	2015	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.7 fl oz per 100 gal + Capsil applied 3 times.
30536	Chrysanthemum, Garden (Chrysanthemum/Dendranthema sp.) 'Outrageous Orange'	Greenhouse	Gilrein	NY	2012	Foliar	No injury on foliage or flowers at 6.38, 12.76, and 25.52 fl oz per 100 gal applied biweekly 3 times.
30536	Chrysanthemum, Garden (Chrysanthemum/Dendranthema sp.) 'Sly Jenna'	Greenhouse	Chen	LA	2010	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.5 fl oz per 100 gal applied twice.
30536	Chrysanthemum, Garden (Chrysanthemum/Dendranthema sp.) 'Sparkle White'	Greenhouse	Gilrein	NY	2012	Foliar	No injury on foliage or flowers at 6.38, 12.76, and 25.52 fl oz per 100 gal applied biweekly 3 times.

PR#	Crop	Production Site	Researcher	State	Year	Application Type	Results
31691	Tickseed (<i>Coreopsis</i> sp.) 'Early Sunrise Yellow'	Greenhouse	Freiberger	NJ	2014	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
30374	Dahlia (<i>Dahlia</i> sp.) 'Dahlietta Leanne'	Field Container	Chen	LA	2013	Foliar	No significant injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied twice.
30374	Dahlia (<i>Dahlia</i> sp.) 'Dahlietta Marissa'	Field Container	Chen	LA	2013	Foliar	No significant injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied twice.
30374	Dahlia (<i>Dahlia</i> sp.) 'Figaro Mix'	Field Container	Davis	MI	2011	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied three times.
30374	Dahlia (<i>Dahlia</i> sp.) 'Figaro Mix'	Field Container	Freiberger	NJ	2013	Foliar	No phytotoxicity with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
30595	Pink (<i>Dianthus</i> sp.) <i>D. barbatus</i>	Greenhouse	DeFrancesco	OR	2015	Foliar	No injury, but moderate growth reduction, with 6.4, 12.8 and 25.6 fl oz per 100 gal applied biweekly.
30595	Pink (<i>Dianthus</i> sp.) 'Floral Lace Crimson'	Greenhouse	Freiberger	NJ	2013	Foliar	No injury or growth reduction with 6.38, 12.72 and 25.58 fl oz per 100 gal mixed with surfactant applied 3 times.
30595	Pink (<i>Dianthus</i> sp.) 'Jolt Pink'	Greenhouse	Cloyd	KS	2016	Foliar	No injury with 6.4, 12.8 and 25.6 fl oz per 100 gal.
31696	<i>Dracaena</i> (<i>Dracaena</i> sp.) <i>D. indivisa</i>	Greenhouse	Gilrein	NY	2014	Foliar	No injury on leaves and flowers, and no growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
31696	<i>Dracaena</i> (<i>Dracaena</i> sp.) <i>D. marginata</i>	Greenhouse	Uber	CA	2014	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.5 fl oz per 100 gal + Capsil applied 3 times.
31696	<i>Dracaena</i> (<i>Dracaena</i> sp.) <i>D. marginata</i>	Greenhouse	Uber	CA	2015	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.6 fl oz per 100 gal + Capsil applied 3 times.
31696	<i>Dracaena</i> (<i>Dracaena</i> sp.) 'Spikes'	Greenhouse	Freiberger	NJ	2014	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
29318	Fuschia; Ladies-Eardrops (<i>Fuschia</i> sp.) 'Dollar Princess'	Greenhouse	Freiberger	NJ	2015	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
29318	Fuschia; Ladies-Eardrops (<i>Fuschia</i> sp.) <i>F. magellanica</i> 'Lena'	Greenhouse	Gilrein	NY	2014	Foliar	No injury on leaves and flowers, and no growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
29318	Fuschia; Ladies-Eardrops (<i>Fuschia</i> sp.) <i>F. magellanica</i> 'Swingtime'	Greenhouse	Gilrein	NY	2014	Foliar	No injury on leaves and flowers, and no growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
29318	Fuschia; Ladies-Eardrops (<i>Fuschia</i> sp.) 'New Wind Chimes Dark Eyes'	Greenhouse	Cloyd	KS	2016	Foliar	No injury with 6.4, 12.8 and 25.6 fl oz per 100 gal.
30596	Gardenia (<i>Gardenia</i> sp.) <i>G. augusta</i>	Greenhouse	Uber	CA	2013	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal + Capsil applied 3 times.
29319	Transvaal Daisy (<i>Gerbera</i> sp.) 'Festival Lt. Eye Orange'	Greenhouse	Edmunds	CO	2010	Spray-to-wet	No injury at 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
29319	Transvaal Daisy (<i>Gerbera</i> sp.) 'Jaguar Pink'	Greenhouse	Gilrein	NY	2012	Foliar	No injury on foliage or flowers with 6.38, 12.76, and 25.52 fl oz per 100 gal applied biweekly three times.
29319	Transvaal Daisy (<i>Gerbera</i> sp.) 'Royal Red'	Greenhouse	Gilrein	NY	2012	Foliar	No injury on foliage or flowers with 6.38, 12.76, and 25.52 fl oz per 100 gal applied biweekly three times.
31695	Ivy (<i>Hedera</i> sp.) 'Baltica'	Greenhouse	Gilrein	NY	2014	Foliar	No injury on leaves and flowers, and no growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.

PR#	Crop	Production Site	Researcher	State	Year	Application Type	Results
31695	Ivy (Hedera sp.) 'Gold Child'	Greenhouse	Gilrein	NY	2014	Foliar	No injury on leaves and flowers, and no growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
31695	Ivy (Hedera sp.) H. algeriensis 'Gloire de Marengo'	Greenhouse	Gilrein	NY	2015	Foliar	No injury or reduction of plant growth and quality with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
31695	Ivy (Hedera sp.) H. helix	Greenhouse	Uber	CA	2015	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.6 fl oz per 100 gal + Capsil applied 3 times.
31695	Ivy (Hedera sp.) H. helix 'Needlepoint'	Greenhouse	Gilrein	NY	2015	Foliar	No injury or reduction of plant growth and quality with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
31692	Rosemallow (Hibiscus sp.) 'Luna White'	Greenhouse	Freiberger	NJ	2015	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.6 fl oz per 100 gal applied 3 times.
31693	Hydrangea (Hydrangea sp.) H. macrophylla 'Nikko Blue'	Field Container	Gilrein	NY	2014	Foliar	No injury on leaves and flowers, and no growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
31693	Hydrangea (Hydrangea sp.) H. paniculata 'Grandiflora'	Field Container	Gilrein	NY	2014	Foliar	No injury on leaves and flowers, and no growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
30363	Impatiens, New Guinea (Impatiens hawkeri)	Field Container	Reding	OH	2013	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times; all plants marketable.
30363	Impatiens, New Guinea (Impatiens hawkeri) 'Cherry Red'	Field Container	Freiberger	NJ	2013	Foliar	No phytotoxicity with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
29321	Impatiens, New Guinea (Impatiens hawkeri) 'Dazzler Violet'	Greenhouse	Chen	LA	2010	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.5 fl oz per 100 gal applied twice.
30363	Impatiens, New Guinea (Impatiens hawkeri) 'Divine Violet'	Field Container	Freiberger	NJ	2013	Foliar	No phytotoxicity with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
30363	Impatiens, New Guinea (Impatiens hawkeri) I. walleriana 'Stardust Red'	Field Container	Davis	MI	2011	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied three times.
29321	Impatiens, New Guinea (Impatiens hawkeri) 'Paradise Bright Red'	Greenhouse	Freiberger	NJ	2011	Foliar	No to very minor injury with 6.4, 12.8 and 25.5 fl oz per 100 gal + surfactant applied 3 times.
29321	Impatiens, New Guinea (Impatiens hawkeri) 'Paradise Lavender Blue'	Greenhouse	Freiberger	NJ	2011	Foliar	No to very minor injury with 6.4, 12.8 and 25.5 fl oz per 100 gal + surfactant applied 3 times.
29321	Impatiens, New Guinea (Impatiens hawkeri) 'Patchwork Salmon'	Greenhouse	Chen	LA	2011	Foliar	No significant injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied twice.
29321	Impatiens, New Guinea (Impatiens hawkeri) 'Sonic Lilac'	Greenhouse	Chen	LA	2011	Foliar	No significant injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied twice.
29321	Impatiens, New Guinea (Impatiens hawkeri) 'Super Elfin Red'	Greenhouse	Chen	LA	2010	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.5 fl oz per 100 gal applied twice.
30363	Impatiens, New Guinea (Impatiens hawkeri) 'Sweet Cherry'	Field Container	Uber	CA	2013	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal + Capsil applied 3 times.
29320	Impatiens; Touch-me-not (Impatiens sp.) 'Cherry Splash'	Greenhouse	Gilrein	NY	2012	Foliar	No injury at 6.38, 12.76, and 25.52 fl oz per 100 gal applied biweekly three times.
29320	Impatiens; Touch-me-not (Impatiens sp.) 'Double Camellia Mix'	Greenhouse	Freiberger	NJ	2011	Foliar	Minor injury with 6.4, 12.8 and 25.5 fl oz per 100 gal + surfactant applied 3 times.
29320	Impatiens; Touch-me-not (Impatiens sp.) 'Extra Dwarf Tom Thumb'	Greenhouse	Freiberger	NJ	2011	Foliar	Minor injury with 6.4, 12.8 and 25.5 fl oz per 100 gal + surfactant applied 3 times.

PR#	Crop	Production Site	Researcher	State	Year	Application Type	Results
29320	Impatiens; Touch-me-not (Impatiens sp.) I. hawkeri 'Sun Harmony Deep Pink'	Greenhouse	Cloyd	KS	2016	Foliar	No injury with 6.4, 12.8 and 25.6 fl oz per 100 gal.
30382	Impatiens; Touch-me-not (Impatiens sp.) I. walleriana 'Dazzler Pink'	Field Container	Davis	MI	2010	Foliar	No significant injury at 6.38, 12.76, and 25.52 fl oz per 100 gal.
30382	Impatiens; Touch-me-not (Impatiens sp.) 'Super Elfin Lavender'	Field Container	Wade	SC	2012	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied with surfactant 3 times; all plants marketable.
30382	Impatiens; Touch-me-not (Impatiens sp.) 'Super Elfin XP Pink'	Field Container	Wade	SC	2012	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied with surfactant 3 times; all plants marketable.
29320	Impatiens; Touch-me-not (Impatiens sp.) 'Super Elfin XP Red'	Greenhouse	Gilrein	NY	2012	Foliar	No injury at 6.38, 12.76, and 25.52 fl oz per 100 gal applied biweekly three times.
31599	Sweet Alyssum (Lobularia maritima) 'Clear Crystal Lavender Shades'	Field Container	Gilrein	NY	2015	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times; improved plant quality.
31599	Sweet Alyssum (Lobularia maritima) 'Easter Bonnet Peach'	Field Container	Gilrein	NY	2015	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times; improved plant quality.
31599	Sweet Alyssum (Lobularia maritima) 'Clear Crystal White'	Field Container	DeFrancesco	OR	2013	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
30375	Geranium, Zonal (Pelargonium x hortorum) 'Cranesbill'	Field Container	Uber	CA	2013	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal + Capsil applied 3 times.
30375	Geranium, Zonal (Pelargonium x hortorum) 'Orbit Pink Seed'	Field Container	Davis	MI	2011	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied three times.
30375	Geranium, Zonal (Pelargonium x hortorum) 'Pinto Salmon'	Field Container	Gilrein	NY	2014	Foliar	No injury on leaves and flowers, and no growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
30375	Geranium, Zonal (Pelargonium x hortorum) 'Pinto White'	Field Container	Gilrein	NY	2014	Foliar	No injury on leaves and flowers, and no growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
30364	Petunia (Petunia sp.)	Field Container	Reding	OH	2013	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times with NIS; all plants marketable.
30364	Petunia (Petunia sp.) 'Dreams White'	Field Container	Davis	MI	2011	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied three times.
29322	Petunia (Petunia sp.) 'Easy Wave Rose'	Greenhouse	Chen	LA	2010	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.5 fl oz per 100 gal applied twice.
30364	Petunia (Petunia sp.) P. x hybrida 'Prism Sunshine'	Field Container	Davis	MI	2010	Foliar	No significant injury at 6.38, 12.76, and 25.52 fl oz per 100 gal.
30364	Petunia (Petunia sp.) 'SGL Dreams Red'	Field Container	Wade	SC	2012	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied with surfactant 3 times; all plants marketable.
30364	Petunia (Petunia sp.) 'SGL Dreams White'	Field Container	Wade	SC	2012	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied with surfactant 3 times; all plants marketable.
29322	Petunia (Petunia sp.) 'Shockwave Coconut'	Greenhouse	Freiberger	NJ	2011	Foliar	Virtually no injury with 6.4, 12.8 and 25.5 fl oz per 100 gal + surfactant applied 3 times.

PR#	Crop	Production Site	Researcher	State	Year	Application Type	Results
29322	Petunia (Petunia sp.) 'Wave Purple'	Greenhouse	Freiberger	NJ	2011	Foliar	Virtually no injury with 6.4, 12.8 and 25.5 fl oz per 100 gal + surfactant applied 3 times.
30597	Rose (Rosa sp.) 'First Impression'	Greenhouse	Gilrein	NY	2014	Foliar	No injury on leaves and flowers, and no growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
30597	Rose (Rosa sp.) 'Powerhouse'	Greenhouse	Gilrein	NY	2014	Foliar	No injury on leaves and flowers, and no growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
30597	Rose (Rosa sp.) 'Radrazz'	Greenhouse	Freiberger	NJ	2013	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.5 fl oz per 100 gal applied 3 times.
31690	Scarlet Sage (Salvia splendens)	Greenhouse	Freiberger	NJ	2014	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
31690	Scarlet Sage (Salvia splendens)	Greenhouse	Uber	CA	2015	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.6 fl oz per 100 gal + Capsil applied 3 times.
31690	Scarlet Sage (Salvia splendens) 'Lighthouse Red'	Greenhouse	Gilrein	NY	2014	Foliar	No injury on leaves and flowers with 6.38 and 12.76, moderate with 25.52 fl oz per 100 gal applied 3 times; no significant growth reduction; unacceptable plant quality at 4X.
31690	Scarlet Sage (Salvia splendens) S. splendens 'Sally'	Greenhouse	Davis	MI	2014	Foliar	No injury with 6.38, 12.76 and 25.52 fl oz per 100 gal + Capsil applied 3 times.
31690	Scarlet Sage (Salvia splendens) 'Vista Purple'	Greenhouse	Gilrein	NY	2014	Foliar	No injury on leaves and flowers with 6.38 and 12.76, moderate with 25.52 fl oz per 100 gal applied 3 times; no significant growth reduction; unacceptable plant quality at 4X.
30383	Marigold (Tagetes sp.) 'Antigua Orange'	Field Container	Wade	SC	2012	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied with surfactant 3 times; all plants marketable.
30383	Marigold (Tagetes sp.) 'Antigua Yellow'	Field Container	Wade	SC	2012	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied with surfactant 3 times; all plants marketable.
29323	Marigold (Tagetes sp.) 'Marvel Orange'	Greenhouse	Freiberger	NJ	2011	Foliar	No to very minor injury (at 4X) with 6.4, 12.8 and 25.5 fl oz per 100 gal + surfactant applied 3 times.
30383	Marigold (Tagetes sp.) T. erecta 'Inca Orange'	Field Container	Davis	MI	2010	Foliar	No significant injury at 6.38, 12.76, and 25.52 fl oz per 100 gal.
30383	Marigold (Tagetes sp.) T. patula 'Bonanza Yellow'	Field Container	Davis	MI	2011	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied three times.
29323	Marigold (Tagetes sp.) 'Taishan Orange'	Greenhouse	Chen	LA	2010	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.5 fl oz per 100 gal applied twice.
29323	Marigold (Tagetes sp.) 'Taishan Yellow'	Greenhouse	Chen	LA	2010	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.5 fl oz per 100 gal applied twice.
29323	Marigold (Tagetes sp.) 'Tiger Eyes'	Greenhouse	Freiberger	NJ	2011	Foliar	No to very minor injury (at 4X) with 6.4, 12.8 and 25.5 fl oz per 100 gal + surfactant applied 3 times.
30365	Vervain (Verbena sp.) 'Aztec White'	Field Container	Uber	CA	2014	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal; + Capsil applied 3 times biweekly.
29324	Vervain (Verbena sp.) 'Homestead Purple'	Greenhouse	Chen	LA	2010	Foliar	No injury with 6.4, 12.8 and 25.5 fl oz per 100 gal applied twice.

PR#	Crop	Production Site	Researcher	State	Year	Application Type	Results
30365	Vervain (Verbena sp.) 'Obsession Pink'	Field Container	Wade	SC	2012	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied with surfactant 3 times; all plants marketable.
29324	Vervain (Verbena sp.) 'Obsession Scarlet'	Greenhouse	Davis	MI	2013	Foliar	No injury with 6.38, 12.76 and 25.52 fl oz per 100 gal + Capsil applied 3 times.
30365	Vervain (Verbena sp.) 'Obsession Scarlet'	Field Container	Davis	MI	2014	Foliar	Moderate injury after the 3rd application with 6.38, 12.76 and 25.52 fl oz per 100 gal + Capsil.
29324	Vervain (Verbena sp.) 'Quartz x P Scarlet'	Greenhouse	Edmunds	CO	2010	Spray-to-wet	No injury at 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
30365	Vervain (Verbena sp.) 'Quartz XP Purple'	Field Container	Wade	SC	2012	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied with surfactant 3 times; all plants marketable.
29324	Vervain (Verbena sp.) 'Serenity Pink'	Greenhouse	Chen	LA	2010	Foliar	No injury with 6.4, 12.8 and 25.5 fl oz per 100 gal applied twice; height reduction at 4X.
29324	Vervain (Verbena sp.) V. hybrida 'Obsession Blue with Eye'	Greenhouse	Gilrein	NY	2011	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal.
29324	Vervain (Verbena sp.) V. hybrida 'Quartz White'	Greenhouse	Gilrein	NY	2011	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal.
29325	Violet (Viola sp.)	Greenhouse	Uber	CA	2015	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.6 fl oz per 100 gal + Capsil applied 3 times.
29325	Violet (Viola sp.) 'Dynamite Scarlet'	Greenhouse	Chen	LA	2010	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.5 fl oz per 100 gal applied twice.
29325	Violet (Viola sp.) 'Matrix Blue Cross'	Greenhouse	Freiberger	NJ	2014	Foliar	No injury or growth reduction with 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
29325	Violet (Viola sp.) V. wittrockiana	Greenhouse	Davis	MI	2014	Foliar	Slight injury after the 1st application with complete recovery at 6.38, 12.76 and 25.52 fl oz per 100 gal + Capsil applied 3 times.
29326	Zinnia (Zinnia sp.) 'Elegans Envy'	Greenhouse	Freiberger	NJ	2011	Foliar	No to minor injury with 6.4, 12.8 and 25.5 fl oz per 100 gal + surfactant applied 3 times.
29326	Zinnia (Zinnia sp.) 'Magellan Coral'	Greenhouse	Edmunds	CO	2010	Spray-to-wet	No injury at 6.38, 12.76 and 25.52 fl oz per 100 gal applied 3 times.
29326	Zinnia (Zinnia sp.) 'Profusion Knee-high Yellow'	Greenhouse	Chen	LA	2011	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.5 fl oz per 100 gal applied twice.
29326	Zinnia (Zinnia sp.) 'Red Spider'	Greenhouse	Freiberger	NJ	2011	Foliar	No to minor injury with 6.4, 12.8 and 25.5 fl oz per 100 gal + surfactant applied 3 times.
29326	Zinnia (Zinnia sp.) 'Zahra White'	Greenhouse	Chen	LA	2011	Foliar	No injury or growth reduction with 6.4, 12.8 and 25.5 fl oz per 100 gal applied twice.

Label Suggestions

We recommend that these four crops listed below be added to the current label:

Calibrachoa sp.

Dracaena sp.

Fuschia sp.

Hedera sp.

Given the lack of phytotoxicity across so many different plant species and genera, it is suggested that all the 4 plants in Table 4 (listed below) that showed no injury be added to the Rycar label if SePro have similar results on these crops:

Coreopsis sp.

Gardenia sp.

Hibiscus sp.

Hydrangea sp.

Appendix 1: Contributing Researchers

Dr. Yan Chen	LSU Ag Center Hammond Research Station 21549 Old Covington Hwy. Hammond, LA 70403
Dr. Raymond Cloyd	Kansas State University Department of Entomology 239 W. Waters Hall Manhattan, KS 66506
Mr. Terry Davis <i>(past affiliate)</i>	Michigan State University Department of Entomology Michigan State University East Lansing, MI 48824-1115
Mr. Joe DeFrancesco <i>(retired)</i>	Oregon State University 2040 Cordley Hall Corvallis, OR 97331
Ms. Brooke Edmunds	Adams County Extension 9755 Henderson Rd. Brighton, CO 80601
Mr. Ben Fraelich	USDA-ARS P. O. Box 748 Tifton, GA 31793
Mr. Tom Freiburger	Rutgers University 283 Route 539 Cream Ridge, NJ
Mr. Dan Gilrein	Cornell Cooperative Extension Long Island Horticulture Research & Experiment Station 3059 Sound Avenue Riverhead, NY 11901
Dr. Michael Reding	USDA-ARS Hort Insects Lab 1680 Madison Ave. Wooster, OH, 44691

Mr. Buzz Uber

Crop Inspection Service
31130 Hilltop Dr.
Valley Center, CA 92082

Dr. Erfan Vafaie

Texas A & M AgriLife Extension
1710 FM 3053 North
Overton, TX 75684

Mr. Paul Wade

USDA-ARS
US Vegetable Laboratory
2700 Savannah Highway
Charleston SC 29414