

ISK INSECTICIDES

Chris Phillips, Ph.D.
Field Development Representative
Technical Service Representative – Insecticides



ISK INSECTICIDES

- Flonicamid



- Cyclaniliprole

FUELED BY Cyclapryn™


FLONICAMID



FLONICAMID

- Mode of action: Selective Homopteran feeding inhibitor
- Formerly IRAC 9C
- **NOW IRAC GROUP 29**
 - Only product in Group 29
 - Not a neonicotinoid (Group 4)
- Spectrum of activity: sucking insect pests
 - aphids, whiteflies, thrips, plant bugs, leafhoppers and planthoppers
- No adverse effect on beneficials
 - pollinators, predators, etc.
- Characterized by unique activity
 - Inhibits sucking behavior of aphids, leafhoppers, and thrips;

IRAC GROUP	29	INSECTICIDE
------------	----	-------------



Flonicamid

CYCLANILIPROLE

FUELED BY **Cyclapryn™**

Mode of Action: Ryanodine receptor modulator

- IRAC Group 28
- Anthranilic diamide

Spectrum of activity: broad


- Highly effective against Lepidopteran, Dipteran, and Coleopteran pests at low use rate
- Long residual activity
- No cross resistance

Minimal impacts on beneficial arthropods

New option for pest management programs

- Low use rate with superior control and expanded spectrum
- Excellent fit with IPM/IRM programs

GROUP 28 INSECTICIDE



CYCLANILIPROLE

FUELED BY **Cyclapryn™**

Submitted for registration in US and CAN

- Will be labeled for key pests of:
 - Pome Fruits
 - Stone Fruits
 - Tree Nuts
 - Grapes
 - Fruiting Vegetables
 - Brassica Leafy Vegetables
 - Leafy Vegetables
 - Cucurbits